



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



**forcar**

CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GN1200TN</b>	2 Door Refrigerator Cabinet, Professional, lt.1104, Temp.+2°/+8°C, with fan and internal air conveyor, Gastronorm 2/1, V.230/1, Kw.0.45, Weight 180 Kg, dim.mm.1340x800x2010h	<b>€ 1.304,88</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

PROFESSIONAL DESCRIPTION

**2 DOOR REFRIGERATOR CABINET, PROFESSIONAL, LT. 1,104 litres, Temperature +2°/+8°C:**

- **made of AISI 304 stainless steel ;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing Gastro-Norm 2/1 grills** or containers (650x530 mm);
- capacity 1,104 litres;
- **static refrigeration with fan and internal air conveyor to uniform the temperature ;**
- group incorporated in upper compartment;
- **ecological refrigerant gas R290 ;**
- engine compartment with insulated sides;
- **electronic temperature control with digital thermostat ;**
- operating temperature +2°/+8° C;
- electric resistance around the door frame to eliminate condensation;
- elimination of condensation water using a basin;
- **maximum ambient temperature : +32°C;**
- **maximum ambient humidity : 55% HR;**
- **insulation thickness 60 mm ;**
- door with return spring;
- door lock with key;
- door seal removable without tools;
- **height-adjustable feet .**

**Supplied :**

- n.6 Gastro-Norm 2/1 grills
- n.12 guides

**Options/Accessories :**



- pair of guides for grid support - Code FOCG21
- Gastro-Norm 2/1 plasticized grill - Cod.FOGRP21
- kit of 4 wheels diameter 120 mm, 2 of which with brake - Code FO-RUO120

**CE mark**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,45
<b>net weight (Kg)</b>	180
<b>gross weight (Kg)</b>	204
<b>breadth (mm)</b>	1340
<b>depth (mm)</b>	800
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p><b>FOGRP21</b></p> 	<p><b>Plasticized grid GN 2/1</b> Plastic grill Gastro-norm 2/1, (cm 53x65)</p>	<p><b>€ 11,56</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>
<p><b>FOCG21</b></p> 	<p><b>Pair of stainless steel guides</b> Pair of stainless steel guides for plasticized grid</p>	<p><b>€ 25,77</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>

**FO-RU0120**



**Forcar - 4 wheels kit, 2 with brake**  
4 wheels kit with 120 mm diameter, 2 of which with brake.

**€ 78,62**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**TECHNOCHIEF**

**ENERG** Y UA IE IA  
енергия · ενεργεια

**FORCAR**  
**REFRIGERATION G-GN1200TN**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

ENERGIA · ЕНЕРГИЯ · ENERGIA  
ENERGIA · ENERGY · ENERGIE  
ENERGI

**1248**  
kWh/annum

854 L

- L

5  
40°C-40%

2015/1094-IV

TECHNOCHIEF.IT