



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-GN3100TN	Refrigerated counter table 3 DOORS and neutral drawer, Professional, capacity 417 liters, temperature -2 ° / + 8 ° C, ventilated refrigeration, Gastronorm 1/1, ECOLOGICAL in Class B, Gas R290, V.230 / 1, Kw.0 , 26, Weight 134 Kg, dim.mm.1795x700x860h	€ 1.142,46 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED TABLE with 3 DOORS and NEUTRAL DRAWER, capacity 417 liters, temperature -2 ° C / + 8 ° C, ECOLOGICAL in Class B:

- **structure in AISI 304 stainless steel;**
- bottom with rounded corners;
- **back in stainless steel** , possibility to lean against the wall;
- **ventilated refrigeration ;**
- **compartments suitable for inserting 1/1 Gastronorm grids or trays** (530x325 mm);
- capacity 417 liters;
- **incorporated refrigerating unit, removable** for easy maintenance;
- **circular flow of cold air** so as not to directly touch the product;
- operating temperature -2 ° / + 8 ° C;
- **electronic temperature control with digital thermostat ;**
- electrical resistance around the door frame for elimination of condensation;
- **automatic defrost** with electric resistance and **automatic control of the defrost temperature ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- **ECOLOGICAL refrigerating unit with R290 gas ;**
- **Energy class B ;**
- maximum ambient temperature: + 32 ° C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm ;**
- door with return spring;
- door gasket removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height ;**
- internal dimensions mm 1337x530x589h;
- external dimensions mm 1795x700x860h.

Included :

- 3 1/1 Gastronorm grids
- 6 guides


Optional / Accessories:

- chest of drawers with 2 drawers with fully extractable telescopic guides in stainless steel - Cod.FOC12;
- chest of drawers with 3 drawers with fully extractable telescopic stainless steel guides - Cod.FOC13;
- pair of guides for grids support - Code FOCG11;
- Gastronorm 1/1 plasticized grid - Code FOGRP11;
- kit of 4 wheels with a diameter of 120 mm, two of which with brakes - Code FORUO120;
- rear upstand on the top - Code FOALZ3100.

NOTE: IN THE COMPARTMENT NEAR THE REFRIGERANT GROUP IT IS RECOMMENDED TO FIT ONLY THE DRAWER WITH 2 DRAWERS, in **order not to obstruct the circulation of cold** .

CE MARK
MADE IN ASIA

TECHNICAL CARD		
	power supply	Monofase
	Volts	V 230/1
	frequency (Hz)	50
	motor power capacity (Kw)	0,26
	net weight (Kg)	134
	gross weight (Kg)	159
	breadth (mm)	1795
	depth (mm)	700
	height (mm)	860
TECHNICAL CARD		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY

FOGRP11

GN 1/1 plasticized grid
Gastronorm 1/1 plasticized grid

€ 8,67
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

FOCG11

Pair of guides for GN 1/1 grid support
Pair of guides for GN 1/1 grid support

€ 11,56
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

FOALZ3100


Rear back to floor for mod. GN3100

€ 28,63
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

FO-RU0120


Forcar - 4 wheels kit, 2 with brake
4 wheels kit with 120 mm diameter, 2 of which with brake.

€ 78,62
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

FOC12

Chest of drawers with 2 drawers
Chest of drawers with 2 drawers with fully extractable telescopic guides in stainless steel for mod. TN

€ 341,36
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days

FOC13

Chest of drawers with 3 drawers
Chest of drawers with 3 drawers with fully extractable telescopic guides in stainless steel for mod. TN

€ 509,29
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



Cassetto neutro
sopra vano tecnico



Optional
Alzatina posteriore sul piano

