

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
TD-FEDL05NEMIDVH2O - NERONE	Electric CONVENTION-STEAM OVEN, Fan assisted, Professional for GASTRONOMY and PASTRY, capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (excluded), DIGITAL CONTROLS, 9 cooking programs, V.400/3+N, Kw.6 ,45, Weight 87 Kg, dim.mm.840x910x750h	€ 1.683,99 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
DROFFSSIONAL DESCRIPTION		

ELECTRIC CONVECTION-STEAM OVEN for GASTRONOMY and PASTRY, NERONE line, version with DIGITAL CONTROLS, available with and without HUMIDIFICATION DEVICE:

- interior and exterior in stainless steel with external finishes in Scoth Bright;
- room with rounded corners;
- chamber size mm 680x480x440h;
- capacity 5 Gastro-Norm 1/1 or 600x400 mm trays (not included), 80 mm pitch;
- $\circ\,$ ventilation in the cooking chamber with reverse direction fan ;
- uniform distribution of micro-particle steam ;
- adjustable thermostat from 50° to 280°;
- digital control panel;
- $\circ\,$ electronic board with 9 cooking programs ;
- \circ needle probe for core cooking and cooking at Δ T $^{\circ}$;
- door glass condensation recovery system with automatic evaporation;
- internal chamber and separate body to eliminate thermal expansion;
- semi-static cooking system with Italian refractory stone;
- electrical panel with extraction and quick maintenance;
- door opening on the right (on the left on request);
- cold door with low-emissivity glass (openable internal glass);
- \circ open door rapid cooling system;
- door opening sensor;
- cooking cycle repetition system;
- manual or automatic steam injection with programmable time;
- o easy digitization for reading the cooking phases;
- interior lighting;
- o interlocking door seal.

CE mark Made in Italy

TECHNICAL CARD		
power supply	Trifase	
Volts	V 400/3 +N	
frequency (Hz)	50	
net weight (Kg)	87	
gross weight (Kg)	109	
breadth (mm)	840	
depth (mm)	910	
height (mm)	750	

TECHNICAL CARD

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

TD-FOGRGGN



€ 33,11 VAT escluded Shipping to be calculed

Delivery from 4 to 9 days

GN 1/1 chromed grill Gastro-Norm chromed grill 1/1 (mm 530x325)

Custro Horri emornea grii 1/1 (min 550

TD-FOGRGPS



Chrome Pastry Grid Chromed grill for pastry (mm 600x400) € 41,39

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TD-FOTGLPAS



Aluminum Pastry Tray Aluminum tray for pastry (mm 600x400)

€ 53,28

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TD-BIGN1/1-65



GN 1/1 stainless steel tray

Gastro-Norm 1/1 stainless steel tray (mm 530x325x65h)

€ 57,37

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-KITPIETRANEGN



GN 1/1 refractory stone plate

Gastro-Norm 1/1 refractory stone plate (mm 530x325x15)

€ 208,95

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-KITPIETRANEPS



Refractory stone plate

Refractory stone plate, dim.mm.600x400x15

€ 272,74

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

TD-NEF0M



Technochef - BASE SUPPORT for NERONE MID OVENS

Support for NERONE MID ovens, with 10 pairs of guides for GN 1/1 and 600x400mm grids and trays, dim.mm 840x770x850h

€ 378,95

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days









