



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



TECHNOCHEF

CODE	DESCRIPTION	PRICE/DELIVERY
TC-PICCOLO	Counter display display case for ice cream, made of ABS complete with lid, temperature -15°/-18°C, R404A, V.230/1, Kw0.40, Weight 20 Kg, dim.mm.505x680x400h	<b>€ 811,39</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
PROFESSIONAL DESCRIPTION		

**DISPLAY CABINET for ICE CREAM COUNTER, complete with LID :**

- **made of ABS ;**
- **transparent lid** which **guarantees full visibility of the ice cream ;**
- **operating temperature -15°/-18°C ;**
- **ECO R404a refrigerant gas ;**
- ECO insulation no CFC;
- copper evaporator;
- **silent ;**
- **low energy consumption ;**
- easy maintenance;
- facilitated cleaning;
- particularly **suitable for artisanal ice cream, industrial ice cream, ice cream for celiacs or particular flavours, frozen yogurt, Sicilian granita, sorbets, assorted creams ;**
- suitable for ice cream shops, pastry shops, catering, restaurants, hotels and guesthouses, cafés, parties, ceremonies, birthdays etc... where it is necessary **to store the ice cream at the ideal temperature and in a small space .**

**NB :** See the **possible combinations of the stainless steel trays** (not included) in the additional image.

**Operating environmental conditions:**

- Max Ambient Temperature 26°C.
- Relative Humidity 60%

**Options/Accessories :**

- Stainless steel basin, capacity 6.5 lt, dim.mm.360x165x150h
- Stainless steel tray, capacity 5.0 lt, dim.mm.360x165x120h
- Stainless steel basin, capacity 3.0 lt, dim.mm.360x165x80h
- Stainless steel basin, capacity 2.5 lt, dim.mm.180x165x120h
- Transparent lid for stainless steel containers

**CE mark****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,4
<b>net weight (Kg)</b>	20
<b>breadth (mm)</b>	505
<b>depth (mm)</b>	680
<b>height (mm)</b>	400

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

**TC-COP**

**Stainless Steel Bowl Cover**  
Lid for stainless steel containers

**TC-BAC3LT**

**Stainless steel basin, capacity 3,0 lt**  
Stainless steel basin, 3.0 lt capacity,  
dim.mm.360x165x80h

#### TC-BAC5LT



#### Stainless steel basin, capacity 5.0 lt

Stainless steel basin, capacity 5.0 lt,  
dim.mm.360x165x120h

#### TC-BAC6LT



#### Stainless steel basin, capacity 6.5 lt

Stainless steel basin, capacity 6.5 lt,  
dim.mm.360x165x150h


#### TC-BAC2LT







#### Stainless steel basin, capacity 2.5 lt


Stainless steel basin, capacity 2.5 lt,  
dim.mm.180x165x120h





# Possibili Combinazioni

	mm 360x165 h 150 lt.6.5		mm 360x165 h 80 lt.3
	mm 360x165 h 120 lt.5		mm 180x165 h 120 lt.2.5



TECHNO CHEF.IT