



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TC-GELATISSIMOF9</b>	Counter display display case for ice cream, made of ABS complete with lid, temperature -15°/-18°C, R404A, V.230/1, Kw.0.50, Weight 35 Kg, dim.mm.1255x525x360h	<p><b>€ 1.207,26</b>  <i>VAT excluded</i>  <b>Shipping to be calculated</b>  <b>Delivery</b> from 8 to 15 days</p>
<b>PROFESSIONAL DESCRIPTION</b>		

**DISPLAY CABINET for ICE CREAM COUNTER, complete with LID :**

- **made of ABS ;**
- **transparent lid** which **guarantees full visibility of the ice cream ;**
- **operating temperature -15°/-18°C ;**
- **ECO R404a refrigerant gas ;**
- ECO insulation no CFC;
- copper evaporator;
- **silent ;**
- **low energy consumption ;**
- easy maintenance;
- facilitated cleaning;
- particularly **suitable for artisanal ice cream, industrial ice cream, ice cream for celiacs or particular flavours, frozen yogurt, Sicilian granita, sorbets, assorted creams ;**
- suitable for ice cream shops, pastry shops, catering, restaurants, hotels and guesthouses, cafés, parties, ceremonies, birthdays etc... where it is necessary **to store the ice cream at the ideal temperature and in a small space .**

**Operating environmental conditions :**

- Max Ambient Temperature 26°C.
- Relative Humidity 60%

**NB :** See the **possible combinations of the stainless steel trays** (not included) in the additional image.



**Options/Accessories :**

- Stainless steel basin, capacity 6.5 lt, dim.mm.360x165x150h
- Stainless steel tray, capacity 5.0 lt, dim.mm.360x165x120h
- Stainless steel basin, capacity 3.0 lt, dim.mm.360x165x80h
- Stainless steel basin, capacity 2.5 lt, dim.mm.180x165x120h
- Transparent lid for stainless steel containers

**CE mark****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,5
<b>net weight (Kg)</b>	35
<b>breadth (mm)</b>	1255
<b>depth (mm)</b>	525
<b>height (mm)</b>	360

**TECHNICAL CARD**

<b>CODE/PICTURES</b>	<b>DESCRIPTION</b>	<b>PRICE/DELIVERY</b>
<b>TC-COP</b> 	<b>Stainless Steel Bowl Cover</b> Lid for stainless steel containers	
<b>TC-BAC3LT</b> 	<b>Stainless steel basin, capacity 3,0 lt</b> Stainless steel basin, 3.0 lt capacity, dim.mm.360x165x80h	

### TC-BAC5LT



#### Stainless steel basin, capacity 5.0 lt

Stainless steel basin, capacity 5.0 lt,  
dim.mm.360x165x120h

### TC-BAC6LT



#### Stainless steel basin, capacity 6.5 lt

Stainless steel basin, capacity 6.5 lt,  
dim.mm.360x165x150h

### TC-BAC2LT





#### Stainless steel basin, capacity 2.5 lt

Stainless steel basin, capacity 2.5 lt,  
dim.mm.180x165x120h



#### Possibili Combinazioni





TECHNOCHEF.IT



TECHNOCHEF.IT

