



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>JP-TSS102-R</b>	SEMI-AUTOMATIC BENCH THERMAL SEALER, structure in STAINLESS STEEL and ANODISED ALUMINUM, automatic system for sealing and dragging of the film, electronic temperature control, V.230/1 kw 0.75, dimensions mm 295x450x550h	

**PROFESSIONAL DESCRIPTION**

## SEMI-AUTOMATIC THERMOSEALING MACHINE for TRAYS, Without MOLDS:

- Made for packaging in PREFORMED TRAYS with MAXIMUM size of 260x190x155h mm seal with transparent FILM;
- Built in stainless steel and anodized aluminum ;
- Teflon-coated aluminum sealing plate with electronic temperature control (0°-200°C);
- Nine storable welding PROGRAMS;
- Acoustic and luminous alarm at the end of the cycle;
- Motorized automatic welding, powered only by electricity;
- The welding cycle is activated automatically with the mold fully inserted;
- The closing Film is dragged automatically by inserting the Mold into the Machine and is then automatically cut at the end of the Sealing cycle ;
- Maximum film reel dimensions - length 220 mm - diameter 200 mm,

### OPERATION'

- Insert the tray into the mold placed on the guides,
- Push the mold all the way towards the machine by gripping the athermal handle,
- At that point the welding cycle starts automatically,
- At the sound of the beep you can extract the mold and remove the welded tray.

### OPTIONALS - ACCESSORIES

- INFINITY mould, ADJUSTABLE for trays, patented, ADAPTABLE with an operation of 3 seconds , to 12 different FORMATS;
- Fixed mold with 1 impression;
- On request: Design of molds for customized trays;
- Carter protect Film;
- Micro-Puncher group for film (necessary when you want to pack very hot products that emit a lot of steam);


CE mark

Made in Italy

### TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,75
net weight (Kg)	25
breadth (mm)	295
depth (mm)	450
height (mm)	550

### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
JP-DA000068 	<b>Drilling Group</b> Drilling unit for TSS102-R TSM102-R	

#### JPST102P-PPSS-1



#### Fixed mold for sealing machines

Fixed die with 1 FOOT for JPTSM102-R / JPTSS102-R models

#### JP-DS0106



#### TechnoChef - STAMPO INFINITY 1 per

**Termosigillatrici mod.TSM102-R e TSS102-R**  
INFINITY 1 Adjustable Mold - seals 190x137 cardboard and polypropylene trays, the 137x125 format in cardboard and the 137x95 format in polypropylene.

#### JP-DS0125



#### TechnoChef - STAMPO INFINITY 2 per

**Termosigillatrici mod.TSM102-R e TSS102-R**  
INFINITY 2 Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays and the 137x95 format in polypropylene.

#### JP-DS0127



#### TechnoChef - STAMPO INFINITY 2 per

**Termosigillatrici mod.TSM102-R e TSS102-R**  
INFINITY 2 Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays and the 137x125 format in cardboard.

#### JP-DS0094



#### TechnoChef - STAMPO INFINITY PLUS per

**Termosigillatrici mod.TSM102-R e TSS102-R**  
INFINITY PLUS Adjustable Mold - seals 260x190/230x190/190x137 cardboard and polypropylene trays, the 137x125 format in cardboard and the 137x95 format in polypropylene.

