



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
EM-TRAY600	Vacuum / gas thermosealer, for PREFORMED TRAYS, AUTOMATIC BENCH with DIGITAL CONTROLS, for CONTAINERS MAX MEASURES of 265x325 mm, V 230/1, Kw 1,8, Weight 120 Kg, external dimensions mm 610x600x560h	€ 4.847,31 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

Automatic vacuum thermosealer for bench-top trays:

- **made of stainless steel** ;
- **possibility of varying temperature and welding time** ;
- seals **trays with maximum gastro-norm 1/2 size (mm 325x260)** ;
- **availability of molds (not included)** with **1 impression** for gastro-norm 1/2 trays, with **2 impressions** for gastro-norm 1/4 trays and with **4 impressions** for gastro-norm 1/8 trays;
- automatic work cycle;
- **tank lid with automatic opening** ;
- **LCD + sensor-VAC digit commands** ;
- **sensor in the chamber** for **detecting the percentage of vacuum and gas** ;
- **inert gas inlet** predisposition;
- **vacuum pump** of **20 meters / cubic / hour** ;
- press. max: ± 3 BAR;
- lateral support for **transparent film reel** ;
- **manual** film dragging;
- ideal for the store and for the laboratory.
- **IMPORTANT:** - to operate, **the machine requires an air compressor** with a minimum tank of 16/18 liters with an operating pressure of 1.5 atmospheres; - Should, in the processing of **products such as MEAT ... require** for the packaging **the use of oxygen-rich gaseous mixtures** (percentage **greater than 20%**) is **STRONGLY RECOMMENDED** the use of an **EXPLOSION-PROOF vacuum pump** for safety reasons, - available as an option on request.

OPTIONAL - ACCESSORIES :



- **1-mold** aluminum **mold** ;
- **2-mold** aluminum **mold** ;
- **4-mold** aluminum **mold** ;
- Air / gas inlet **adjustment** pressure **gauge** ;

CE MARK
MADE IN ITALY


TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	5060
motor power capacity (Kw)	1,8
net weight (Kg)	120
breadth (mm)	610
depth (mm)	600
height (mm)	560

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
EM-TRAYGN1/2 	TECHNOCHEF - Anticoradal aluminum mold, Mod.GN1 / 2 Anticoradal aluminum mold for Mod.TRAY600 and TRAY800, with 1 impression for Gastro-norm 1/2 containers, 265x320 mm	€ 288,20 VAT excluded Shipping to be calculated Delivery from 4 to 9 days
EM-TRAYGN1/4 	TECHNOCHEF - Anticoradal aluminum mold, Mod.GN1 / 4 Anticoradal aluminum mold for Mod.TRAY600 and TRAY800, with 2 imprints for Gastro-norm trays 1/4, 265x160 mm	€ 312,22 VAT excluded Shipping to be calculated Delivery from 4 to 9 days


EM-TRAYGN1/8




TECHNOCHEF - Anticoradale aluminum mold, Mod.GN1 / 8
Anticoradale aluminum mold for Mod. TRAY600 and TRAY800, with 4 imprints for Gastro-norm trays 1/8, 160x130 mm


€ 351,24
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days






STAMPO GN 1/2 mm 265x320
MOULD GN 1/2 mm 265x320



STAMPO GN 1/4 mm 265x160
MOULD GN 1/4 mm 265x160



STAMPO GN 1/8 mm 160x130
MOULD GN 1/8 mm 160x130