



CODE	DESCRIPTION	PRICE/DELIVERY
TH-COMPACTNW	Automatic cabinet purifier/softener for cold water with 5.2 lt. of resin, electronic programming, max yield: 500 l/h, V.12 (power supply included), dim.mm.225x395x425h	€ 373,04 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

AUTOMATIC ELECTRONIC PURIFIER/SOFTENER with cabinet, with 5.2 liters of CATION RESIN, suitable for cold water (max 35°C) :

- **bodywork in thick plastic material** suitable for **containing the resin cylinder** and **10 kg of salt** ;
- **resin cylinder in glass fiber reinforced polyethylene** with **5.2 liters of cationic resin** ;
- **max flow rate** : 500 l/h
- **regeneration cycle duration** : 32 min;
- **salt consumption for each regeneration cycle** : 0.9 kg;
- **electronic programming** ;
- **min-max water temperature: 2-35°C** ;
- softened water supplied according to hardness: 1300 l (at 20 F°), 520 l (at 50°F).

CE mark

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,1
breadth (mm)	225
depth (mm)	395
height (mm)	425



