

#### TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA ITO200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



# PROFESSIONAL DESCRIPTION

# COMBINED MEAT MINCER - GRATER 'Type 22' in single-phase or three-phase HOODED version:

- stainless steel structure :
- $\circ$  stainless steel meat hopper;
- $\begin{tabular}{ll} \bullet & \textbf{completely removable stainless steel meat grinding unit} \end{tabular} ; \\ \end{tabular}$
- $\circ\,$  Molds with different holes to obtain Swiss, meatballs, ragù, frankfurters , etc.,
- $\circ~$  grater with steel roller for processing cheese , bread , biscuits , dried fruit , etc.,
- hourly production: meat grinder 250 kg/h grater 40 kg/h;
- reduction gear with oil bath gears;
- $\circ~$  lower protection grill in the grater outlet ;
- microswitch on the grater lever according to European Directives;
- meat inlet mouth 'Type 22', diameter 52 mm;
- Supplied:
- Stainless steel molds ( 6 mm diameter holes ) and self-sharpening stainless steel knife .
- OPTIONAL ACCESSORIES
- Molds with holes of various sizes,
- Knives,
- o funnels for stuffing diameter 15 mm 20 mm 30 mm.

### MADE IN ITALY

TECHNICAL CARD	
net weight (Kg)	38
gross weight (Kg)	48
breadth (mm)	560
depth (mm)	430
height (mm)	480

### **AVAILABLE MODELS**

#### FMAB22AT-T



Type 22 Faired Meat Mincer, Removable Stainless Steel Meat Grinding Unit, Three-Phase V. 380/3+N Combined MEAT MINCER / GRATER 'TYPE 22' in Polished Aluminium, Production: MEAT MINCER 250 Kg/h, GRATER 40 Kg/h, with FULLY REMOVABLE STAINLESS STEEL MEAT GRINDING GROUP, V. 380/3+N, Kw 1.1 - dimensions mm 560x430x480h

€ 1.088,42

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

#### FM-AB22AT-M



Type 22 Faired Meat Mincer, Removable Stainless Steel Meat Grinding Unit, Single Phase V. 230/1 Combined MEAT MINCER / GRATER TYPE 22' in Polished Aluminium, Production: MEAT MINCER 250 Kg/h, GRATER 40 Kg/h, with FULLY REMOVABLE STAINLESS STEEL MEAT GRINDING GROUP, V. 230/1, Kw 1.1 - dimensions mm 560x430x480h

**€ 1.117,45** *VAT escluded* 

Shipping to be calculed

Delivery from 4 to 9 days

#### **TECHNICAL CARD**

CODE/PICTURES DESCRIPTION PRICE/DELIVERY

## FM-COLTELLO22



FIMAR - Technochef - Spare stainless steel knife, Mod.22

Stainless steel replacement knife for Mod.22 meat mincer

10.16

€ 10,16

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

### FM-STAMPO22/6



Stainless steel perforated mold Ø 6 mm, Mod.22

Stainless steel perforated mold, diameter 82 mm, for Mod.22 meat mincer - with holes diameter 6 mm

€ 19,11

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

### FM-STAMPO22/8



Stainless steel perforated mold Ø 8 mm, Mod.22

Stainless steel perforated mould, diameter 82 mm, for Mod.22 meat mincer - with holes diameter 8 mm

€ 19,11

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

### FM-STAMPO22/45



Stainless steel perforated mold  $\emptyset$  4.5 mm, Mod.22

Stainless steel perforated mould, diameter 82 mm, for Mod.22 meat mincer - with holes diameter 4.5 mm

€ 19,12

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

# FM-STAMPO22/3



FIMStainless steel perforated mold  $\emptyset$  3 mm, Mod.22

Stainless steel perforated mould, diameter 82 mm, for Mod.22 meat mincer - with 3 mm diameter holes

€ 22,13

VAT escluded
Shipping to be calculed

Delivery from 4 to 9 days

# FM-STAMPO22/35



Stainless steel perforated mold  $\emptyset$  3.5 mm, Mod.22

Stainless steel perforated mould, diameter 82 mm, for Mod.22 meat mincer - with holes diameter 3.5 mm

**€ 22,13** *VAT escluded* 

VAT escluded
Shipping to be calculed

**Delivery** from 4 to 9 days

FM-STAMPO22/2



€ 31,20 VAT escluded Shipping to be calculed

**Delivery** from 4 to 9 days

**Stainless steel perforated mold Ø 2 mm, Mod.22** Stainless steel perforated mould, diameter 82 mm, for Mod.22 meat mincer - with 2 mm diameter holes