



**PROFESSIONAL DESCRIPTION**

**CENTRIFUGAL FANS with DIRECT COUPLING, DOUBLE INTAKE for SUCTION BOXES, COMPLETE RANGE with flow rate from 1500 to 10,000 metres/cubic meters/hour :**

- **double inlet centrifugal fans with motor directly coupled to the impeller** (forward blades);
- **single-phase motor with permanent capacitor inserted , 4 or 6 poles , or three-phase ;**
- screw fan in **galvanized sheet metal ;**
- working ambient temperature from -20°C to +40°C;
- engine normally mounted on self-aligning bushings with lubricant reserve;
- class B insulation.

**CE mark**  
**Made in Italy**

**AVAILABLE MODELS**

**AIF-DSDM10/8-4**



**Directly coupled centrifugal fan, double inlet, max flow rate 2800 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 4 poles, RPM 1260, max flow rate 2800 m³/h, V.230/1, Kw.0.55, dim .mm.429x265x444h

**€ 278,04**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**AIF-DSDM9/9-4**



**Directly coupled centrifugal fan, double inlet, max flow rate 2500 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 4 poles, RPM 1300, max flow rate 2500 m³/h, V.230/1, Kw.0.42, dim .mm.378x298x390h

**€ 283,47**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

**AIF-DSDM9/7-4****Directly coupled centrifugal fan, double inlet, max flow rate 1800 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 4 poles, RPM 1400, max flow rate 1800 m³/h, V.230/1, Kw.0.42, dim .mm.378x232x390h

**€ 295,54**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM9/7-6****Directly coupled centrifugal fan, double inlet, max flow rate 1500 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 970, max flow rate 1500 m³/h, V.230/1, Kw.0.25, dim .mm.378x232x390h

**€ 297,26**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM9/9-6****Directly coupled centrifugal fan, double inlet, max flow rate 2200 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 940, max flow rate 2200 m³/h, V.230/1, Kw.0.25, dim .mm.378x298x390h

**€ 302,43**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM10/10-4****Directly coupled centrifugal fan, double inlet, max flow rate 2900 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 4 poles, RPM 1200, max flow rate 2900 m³/h, V.230/1, Kw.0.55, dim .mm.429x331x444h

**€ 316,47**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM10/8-6****Directly coupled centrifugal fan, double inlet, max flow rate 2300 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 880, max flow rate 2300 m³/h, V.230/1, Kw.0.25, dim .mm.429x265x444h

**€ 342,82**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM12/12-6/A-M****Directly coupled centrifugal fan, double inlet, max flow rate 4000 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 940, max flow rate 4000 m³/h, V.230/1, Kw.57, dim.mm .497x395x522h

**€ 433,21**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM12/12-6/B-M****Directly coupled centrifugal fan, double inlet, max flow rate 4600 m³/h, V.230/1**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 940, max flow rate 4600 m³/h, V.230/1, Kw.0.736, dim.mm .497x395x522h

**€ 453,89**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

**AIF-DSDM12/12-6-T****Directly coupled centrifugal fan, double inlet, max flow rate 6000 m³/h, V.400/3**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 890, max flow rate 6000 m³/h, V.400/3, Kw.1.1, dim .mm.497x395x522h

**€ 496,99**

*VAT excluded*  
Shipping to be calculated

**Delivery** from 8 to 15 days

AIF-DSDM15/15-6-T



**Directly coupled centrifugal fan, double inlet, max flow rate 10000 m<sup>3</sup>/h, V.400/3**

Double inlet centrifugal fan with motor directly coupled to the forward blade impeller, for installation in a suction box, 1 SPEED, 6 poles, RPM 920, max flow rate 10000 m<sup>3</sup>/h, V.400/3, Kw.2,2, dim .mm.579x474x616h

**€ 718,65**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

