



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-GN650TN</b>	1 Door Refrigerator Cabinet, Professional, capacity 650 litres, temp. -2°+8°C, Ventilated, ECOLOGICAL in Class C, Gas R290, Gastronorm 2/1, V.230/1, Kw.0,315, Weight 134 Kg , dim.mm.740x830x2010h	<b>€ 1.015,83</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
<b>PROFESSIONAL DESCRIPTION</b>		

**1-door REFRIGERATOR CABINET, capacity 650 litres, temperature -2°/+8°C, ECOLOGICAL in Class C :**

- **made of AISI 304 stainless steel ;**
- **insulation thickness 60 mm ;**
- chamber bottom with rounded corners;
- external bottom and back panels in galvanized sheet metal;
- door seal removable without tools;
- **suitable for containing Gastro-Norm 2/1 grills or containers (650x530 mm);**
- **operating temperature -2°/+8°C ;**
- **electronic temperature control with digital thermostat ;**
- anti-corrosion treated evaporator;
- **ventilated refrigeration ;**
- incorporated group;
- evaporator positioned retractably so as to have maximum available space;
- engine compartment with insulated sides;
- **ECOLOGICAL Refrigerating Group with R290 gas ;**
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost** with electric resistance and automatic control of the defrost temperature;
- **automatic evaporation of condensation water ;**
- maximum ambient temperature: +32°C;
- maximum ambient humidity: 55% HR;
- **interior light ;**
- door with return spring and reversible;
- door lock with key;
- **height-adjustable feet in AISI 304 stainless steel ;**
- internal dimensions 624x685x1396h mm.

**Supplied :**

- 3 GN 2/1 grills
- 3 pairs of guides

**Accessories/Options :**

- Optional adaptation kit for containing 60x40 cm grids available only for G-GN650.

**CE MARK**  
**MADE IN ASIA**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,315
<b>net weight (Kg)</b>	134
<b>gross weight (Kg)</b>	0153
<b>breadth (mm)</b>	740
<b>depth (mm)</b>	830
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FO-A64</b> ◻	<b>Kit of supports and guides for trays</b> Kit of supports and guides for 600x400 mm trays	<b>€ 136,24</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



**ENERG** Y UA  
енергия - ενεργεια  
IE IA

**FORCAR**  
REFRIGERATION G-GN650TN

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

ENERGIA - ЕНЕРГИЯ - ENERGIA  
ENERGIA - ENERGY - ENERGIE  
ENERGI

**560**  
kWh/annum

**427 L**

**4**  
30°C-55%

2015/1094-IV

TECHNOCHIEF.IT