



PROFESSIONAL DESCRIPTION

VERTICAL HYDRAULIC PACKAGING MACHINE for cured meats, CAPACITY 35 litres, available in SINGLE-PHASE and THREE-PHASE versions :

- **new IDRA vertical hydraulic bagging machines** rely on a **powerful hydraulic system** that works at 120 Bar pressure;
- **constructed entirely of stainless steel , totally removable for cleaning** without the use of tools;
- **lid and pad entirely in stainless steel ;**
- **silicone gaskets** that act inside the cylinder for greater sealing and durability of the gasket itself;
- **hermetic protection of hydraulic cylinder ;**
- **stainless steel piston rod ;**
- **stainless steel cylinder** , polished and edged, without mandatory direction;
- powerful and silent **2,800 rpm ventilated motor** with immediate action;
- **automatic piston return** with engine shutdown;
- IP 67 stainless steel controls;
- **high precision oil flow regulator ;**
- **oil tank with level indicator ;**
- **standard rubber wheels ;**
- cylinder dimensions: diameter 320 mm, length 460 mm;
- piston stroke: 380 mm;
- min.empty speed: 2'02";
- max emptying speed: 51";
- piston return speed: 32".

Supplied :

- 3 funnels in food-grade polyethylene with a diameter of 10-18-25 mm

Accessories/Options :

- stainless steel ring
- Set of 4 stainless steel funnels with diameters of 16-20-28-38 mm

CE mark

Made in Italy

TECHNICAL CARD

net weight (Kg) 101

gross weight (Kg)	113
breadth (mm)	640
depth (mm)	480
height (mm)	1160

AVAILABLE MODELS

SI-IS35IDRA/T



VERTICAL HYDRAULIC MEAT FILLER in STAINLESS STEEL, Capacity lt.35, V.400 / 3
 INSACCATRICE by CARNE HYDRAULIC VERTICAL in acciaio inox, capacity lt.35, in dotazione 3 imbuti diameter 10-18-25 mm, V.400/3, Kw.0,56, Peso 113 Kg, dim.mm.640x480x1160h

€ 4.732,03

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

SI-IS35IDRA/M



VERTICAL HYDRAULIC MEAT FILLER in STAINLESS STEEL, Capacity lt.35, V.230 / 1
 INSACCATRICE by CARNE HYDRAULIC VERTICAL in acciaio inox, capacity lt.35, in dotazione 3 imbuti diameter 10-18-25 mm, V.230/1, Kw.0,56, Peso 113 Kg, dim.mm.640x480x1160h

€ 4.800,91

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

SI-GHIERA



STAINLESS STEEL NUT
 Stainless steel ferrule

€ 41,88

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

SI-4IM



SET 4 STEEL FUNNELS
 Set of 4 funnels in stainless steel with a diameter of 16-20-28-38 mm

€ 92,05

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



TECHNOCHEF.IT

Estrema facilità di pulizia



TECHNOCHEF.IT

Guarnizione ermetica su cilindro oleodinamico



Azionamento spinta pistone



Ritorno pistone automatico




Particolare centralina e comandi



Ghiera inox
opzionale



Imbuti inox (ø 13-16-20-25-28-38)
opzionali



Dimensioni mm				
Modello	A	B	C	D
IS 15 IDRA	490	370	700	1200
IS 25 IDRA	565	450	950	1160
IS 35 IDRA	640	480	1000	1160
IS 50 IDRA	730	550	1130	1250