



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



forcar

CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-PZ2600TN	REFRIGERATED PIZZA COUNTER 2 DOORS, GRANITE top temperature -2°/+8°C, Ventilated, ECOLOGICAL in CLASS B, GAS R290, V.230/1, Kw.0,26, Weight 257 Kg, dim.mm.1510x800x1000h	€ 1.315,89 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

REFRIGERATED PIZZA COUNTER 2 DOORS , with GRANITE WORKTOP and BACKPACK , operating temperature *2°/+8° , Class B:

- **Aisi 304 stainless steel structure** ,
- **granite worktop** with **splashback on 3 sides** ,
- **2 refrigerated compartments** capable of hosting **600x400x70h mm loaf boxes** ,
- **neutral drawer above technical compartment** ;
- **capacity 390 litres** ;
- **ventilated refrigeration** ,
- **built-in extractable group** for easy maintenance;
- insulation thickness: 50 mm;
- **circular flow of the cold air** so as not to directly touch the product;
- **electronic temperature control with digital thermostat** ;
- electric resistance around the door frame to eliminate condensation;
- **automatic defrost with electric resistance** ,
- **automatic defrost temperature control** ;
- **automatic evaporation of condensation water** ;
- anti-corrosion treated evaporator;
- **ECOLOGICAL GAS R290** ;
- **ENERGY CLASS B** ;
- max ambient temperature/humidity: +32°C / 55%HR;
- door with return spring;
- door seal removable without tools, bottom with rounded corners;
- **height-adjustable feet in Aisi 304 stainless steel** ;
- stainless steel backrest, possibility of leaning against the wall.

Supplied :

- n.7 pairs of guides per door



CE mark

Made in ASIA

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,26
net weight (Kg)	257
gross weight (Kg)	288
breadth (mm)	1510
depth (mm)	800
height (mm)	1000

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p>FO-GRP64</p> 	<p>Forcar - Plasticized Grid 600x400 mm plastic coated grid</p>	<p>€ 11,24 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days</p>
<p>FO-GUT</p> 	<p>Forcar - Driving Couple Pair of trays for trays</p>	<p>€ 17,18 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days</p>

FO-GAR




Forcar - Pair of anti-tilt guides
Pair of anti-tilt guides for grill

€ 20,04

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



**TECHNO
CHEF**

ENERG Y IJA
енергия - енергija IE IA

FORCAR
REFRIGERATION G-PZ2600TN

A+++
A++
A+
A
B
C
D
E
F
G

793
kWh/annum

ENERGIA - ЕНЕРГИЯ - ENERGIA
ENERGIA - ENERGY - ENERGIE
ENERGI

266 L

5
40°C-40%

2015/1094-IV

TECHNOCHIEF.IT