



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-PA800TN</b>	Pastry Refrigerator Cabinet, 1 Door, 304 STAINLESS STEEL, FORCAR brand, Professional, 737 lt, Temp.+2°/+8°C, Ventilated, ECOLOGICAL in CLASS C, R290 Gas, suitable for 60x80 cm or 60x40 cm trays, V.230/1, Kw.0.33, Weight 143 Kg, dim.mm.740x990x2010h	<b>€ 1.367,90</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**REFRIGERATED CABINET for PASTRY 1 DOOR, for 60x80 cm or 60x40 cm trays, capacity 737 litres, temperature +2°/+8°C, ECOLOGICAL in Class C:**

- **refrigerated cabinet for pastry laboratories in AISI 304 stainless steel;**
- external bottom and back panels in galvanized sheet metal;
- bottom with rounded corners;
- **suitable for containing 600x400 and 600x800 mm pastry trays ;**
- **ventilated refrigeration ;**
- incorporated group;
- **engine compartment with insulated sides ;**
- insulation thickness 60 mm;
- evaporator positioned retractably in order to have maximum available space;
- operating temperature +2°/+8°C;
- **electronic temperature control with digital thermostat ;**
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost with electric resistance and automatic control of the defrost temperature ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- max ambient temperature / humidity: +32 °C / 55% HR;
- **ECOLOGICAL Refrigerating Group with R290 Gas ;**
- **Energy efficiency class C ;**
- **Climate class 4;**
- Annual energy consumption 790 kWh/annum;
- door with return spring and reversible;
- door lock with key;
- door seal removable without tools;
- **interior light ;**
- **height-adjustable feet in Aisi 304 stainless steel ;**
- internal dimensions 624x846x1396h mm.

**Supplied :**

- n.10 pairs of guides


**CE mark**

**Made in ASIA**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,33
<b>net weight (Kg)</b>	143
<b>gross weight (Kg)</b>	169
<b>breadth (mm)</b>	740
<b>depth (mm)</b>	990
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p><b>FO-GRP68</b></p> 	<p><b>Technochef - Plastified grill mm 800x600</b> 800x600 mm plastic coated grid</p>	<p><b>€ 14,47</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>



**ENERG**  
енергия · енергія

Y IIA  
IE IA

**FORCAR**  
**REFRIGERATION G-PA800TN**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

ENERGIA · ЕНЕРГИЯ · ENERGIJA  
ENERGIJA · ENERGY · ENERGIE  
ENERGI

**573**  
kWh/annum

1L  
**534** L

- L

5  
40°C-40%

2015/1094-IV

TECHNOCHEF.IT