

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



| CODE | DESCRIPTION | PRICE/DELIVERY |
|--------------------------|--|--|
| TD-AF14MIDMBTPS | 2-door freezer-freezer cabinet, TECNODOM brand, stainless steel structure, 1400 lt capacity, PASTRY, low temperature -18°/-22°C, ventilated refrigeration, PASTRY Trays 600x400 mm, V.230/1, Kw.0 ,7,Weight 169 Kg,dim.mm.1420x800x2030h | € 2.116,07 VAT escluded Shipping to be calculed Delivery from 25 to 35 days |
| PROFESSIONAL DESCRIPTION | | |

FREEZER-FREEZER CABINET for PASTRY 2 DOORS, capacity 1400 litres, operating temperature -18°/-22°C, TECNODOM brand:

- internal and external structure in stainless steel, except external bottom, ceiling and backrest in Galvanized Steel;
- o rounded internal corners;
- suitable for containing 600x400 mm pastry trays;
- o capacity 1400 litres;
- operating temperature -18°/-22°C;
- insulation in CFC-free polyurethane , injected at high pressure;
- insulation thickness : 60 mm ;
- self-closing doors with magnetic seal;
- ventilation stop device when the door is opened;
- front electronic control panel with 2 NTC probes ;
- evaporator resistance;
- ventilated refrigeration;
- removable and tropicalized monobloc refrigeration unit as standard (ambient temperature +43°C and relative humidity of 65%);
- works with R404A/R507 gas;
- \circ fully automatic defrosting and evaporation of condensation water;
- o discharge resistance;
- door edge resistance;
- o thermostatic valve;
- Stainless Steel feet adjustable in height (110/190 H mm);
- o dim.mm.1420x800x2030/2100h.

Supplied:

- special pastry racks
- 20 "L" shaped stainless steel guides
- o fan stop.

CE mark

Made in Italy

| Made III Italy | | |
|---------------------------|----------|--|
| TECHNICAL CARD | | |
| power supply | Monofase | |
| Volts | V 230/1 | |
| frequency (Hz) | 50 | |
| motor power capacity (Kw) | 0,7 | |
| net weight (Kg) | 169 | |
| breadth (mm) | 1420 | |
| depth (mm) | 800 | |
| height (mm) | 2030 | |
| | | |