



**TECNOSERVICE'21 srl**  
by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

**WALL FRIGOR DISPLAY UNIT for FRUIT and VEGETABLES, VULCANO 80 line, 764 mm DEEP, 1580 mm LONG, available WITH and WITHOUT REFRIGERANT GROUP, in standard RAL colours, TECNODOM brand :**

- PLUG-IN vertical refrigerated display, compact, suitable for displaying and preserving fresh and pre-packaged products;
- **ecological , reliable , hygienic , suitable for all sales surfaces ;**
- designed with particular attention aimed at **ease of installation** and **optimization of the cleaning system** , guaranteed by easy access to the internal parts;
- the products on display are always kept at an **ideal temperature** , thanks to the refrigerated air flow and a well-sized refrigeration system;
- VULCANO is a product with **low energy consumption** and **low environmental impact** : the tank is made without the use of CFCs;
- **made of sheet metal painted in standard RAL colours ;**
- compact but with a large exhibition surface: 2.50 m<sup>2</sup>
- suitable for small, medium and large distribution;
- all phases, from design to production, have been taken care of in detail: **Made in Italy technology and design ;**
- possibility of customization on request;
- **ventilated refrigeration;**
- **operating temperature +6°/+8°C ;**
- climate class: 3 (ambient temperature +25°C, relative humidity 60%);
- **thermoformed and insulated shoulders** (thickness 40 mm each), with **tempered glass side ;**
- **electronic control panel ;**
- **defrost at stop ;**
- **upper neon lighting ;**
- power absorbed lights n°xKw: 1x36;
- **manual self-retracting night curtain ;**
- **3 inclined shelves in non-toxic white post-painted sheet metal or in stainless steel** (for stainless steel version), equipped with price holder, without lighting, without product holding grids and an upper mirror;

◦ **AVAILABLE VERSIONS :**

1. **set up with finishing in the standard RAL colours** : blue, green, orange, yellow, red, black and white;
2. **setup with stainless steel finish** (Optional);
3. **version with built-in refrigeration unit** (equipped with a condensation water recovery and evaporation system, via stainless steel coil);
4. **version with provision for remote refrigeration unit ;**

- R404A/R507 valve both in the version with and without refrigeration unit;
- **available in 7 different RAL colors to specify when ordering** : **Blue** (RAL 5013), **Green** (RAL 6026), **Orange** (RAL 2008), **Yellow** (RAL 1018), **Red** (RAL 3020), **Black** (RAL 9005), **White** (RAL 9010).

**Accessories/Options :**

- Additional shelves
- Bathtub dividers
- Shelf dividers
- Product holding grids
- Shelf lighting
- Trolley with wheels
- Remote refrigeration units
- Packaging in wooden cage
- on request available in stainless steel

**CE mark**  
**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>gross weight (Kg)</b>	240
<b>breadth (mm)</b>	1580
<b>depth (mm)</b>	764
<b>height (mm)</b>	2040

**AVAILABLE MODELS**

**TD-VULCANO80FV-150SG**



**Wall Display Refrigerator, VULCANO 80 Line, 1580 mm LONG, without refrigeration unit**  
WALL DISPLAY REFRIGERATOR, TECNODOM brand, VULCANO 80 line, with 3 inclined shelves, upper neon LIGHTING, temperature +6°/+8°C, set up for REMOTE REFRIGERANT UNIT, V.230/1, Kw.0,084, Weight 240 Kg, dim.mm.1580x764x2040h

**TD-VULCANO80FV-150CG**



**Wall Mounted Display Refrigerator, VULCANO 80 Line, 1580 mm LONG, with refrigeration unit**  
WALL DISPLAY REFRIGERATOR, TECNODOM brand, VULCANO 80 line, with 3 inclined shelves, upper neon LIGHTING, temperature +6°/+8°C, complete with REFRIGERANT UNIT, V.230/1, Kw.1,595, Weight 240 Kg , dim.mm.1580x764x2040h





Versione in acciaio inox



