



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>WE-ALE3VLV</b>	Professional espresso coffee machine, with 3 lever dispensing units, Vela Vintage Line, WEGA brand, 17 lt. boiler, 2 steam wands, 1 hot water draw, V.230/3-400-3+N, Kw.5, 55/6,00, Weight 107 Kg, dim.mm.1010x560x580h	

#### PROFESSIONAL DESCRIPTION

**PROFESSIONAL MANUAL COFFEE MACHINE with 3 LEVER BREWING GROUPS, Vela Vintage Line, Brand WEGA, with 2 Steam Wands with Knobs and 1 Hot Water Tap :**

- **machine with a vintage design par excellence** , but despite this, Vela Vintage also keeps up with the times and reinvents itself to **ensure ever higher performance** ;
- **lever model** for lovers of espresso preparation without the aid of electronics...The vintage appeal remains, but the mechanical heart evolves to satisfy even the most sophisticated baristas and palates.;
- **2 standard height dispensing groups** (82 mm);
- **2 stainless steel steam wands** with **retro-style knobs** ;
- **1 hot water drawing** ;
- **boiler capacity** : 17 l;
- **autolevel** and **volumetric pump**;
- electric cup warmer;
- to enhance the purism that distinguishes the style of this machine, new **wooden finishes** have been created for: **water knob , steam knob , filter holder** and **levers** ;
- a **new dispensing group has been designed that is easy to use** and **maintain ... its thermal characteristics ensure that every coffee blend is extracted in the best** possible way;
- predisposition for the connection of an external cup warmer;
- available in **Chrome** and **Sand RAL 1035** colors (to be specified when ordering).

**CE mark**

#### TECHNICAL CARD

<b>power supply</b>	Trifase
<b>Volts</b>	V 400/3 +N
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	6,00
<b>net weight (Kg)</b>	102

<b>gross weight (Kg)</b>	107
<b>breadth (mm)</b>	1010
<b>depth (mm)</b>	560
<b>height (mm)</b>	580





