





CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CC25/80</b>	Lock with key	
<b>PROFESSIONAL DESCRIPTION</b>		
<b>TECHNICAL CARD</b>		
CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-CPS350V</b> 	<b>Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 5 rectangular shelves, CURVE Line</b> Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 360 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 155 kg, dim.mm.620x620x1860h	
<b>SL-CPS250V</b> 	<b>Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 5 rectangular shelves, CURVE Line</b> Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 230 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 125 kg, dim.mm.450x620x1860h	
<b>SL-CPS450V</b> 	<b>Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 5 rectangular shelves, CURVE Line</b> Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 427 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 170 kg, dim.mm.720x620x1860h	
<b>SL-CPS350R</b> 	<b>Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 6 rotating shelves, CURVE Line</b> Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 6 rotating glass shelves, capacity 360 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 155 kg, dim.mm.620x620x1860h	

**SL-CPS450R****Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 6 rotating shelves, CURVE Line**

Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 6 rotating glass shelves, capacity 427 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 170 kg, dim.mm.720x620x1860h

**SL-CGL250S****TECHNOCHEF - Vetrina Freezer for Gelateria 1 Door, Temp.-15°-25°C, It.250, Mod.CGL250S**

Freezer-Freezer display case for ice cream parlor 1 door, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 6 rectangular shelves measuring 295x460 mm, capacity 250 lt, V.230/1, Kw.0 ,58, Weight 134 Kg, dim.mm.450x620x1860h

**SL-CGL350S****TECHNOCHEF - Vetrina Freezer for Gelateria, Temp.-15°- 25°C, 1 Door, It.360, Mod.CGL350S**

Freezer-Freezer display case for ice cream parlor 1 door, Curve Line, capacity 360 liters, temperature -15°/-25°C, static refrigeration, with 4 display sides, 6 square shelves measuring 460x460 mm, V.230/1, Kw.0 ,7, Weight 146 Kg, dim.mm.620x620x1860h

**SL-CPS600V****Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 5 rectangular shelves, CURVE Line**

Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 541 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 176 kg, dim.mm.900x620x1860h

**SL-CGL450S****TECHNOCHEF - Vetrina Freezer for Gelateria, Temp.-15°-25°C, 1 Door, It.427, Mod.CGL450S**

Freezer-Freezer display case for ice cream parlor 1 door, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 6 rectangular shelves measuring 560x440 mm, capacity 427 lt, V.230/1, Kw.0 ,7, Weight 165 Kg, dim.mm.720x620x1860h

**SL-CGL600S****TECHNOCHEF - Vetrina Freezer for Gelateria 1 Door, Temp.-15°-25°C, It.541, Mod.CGL600S**

Freezer-Freezer display case for ice cream parlor 1 door, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 6 rectangular shelves measuring 734x460 mm, capacity 541 litres, V.230/1, Kw. 0.7, weight 192 kg, dim.mm.900x620x1860h

**SL-CGL450G2T****TECHNOCHEF - Refrigerated Pastry Display Case, Temp.+5°-20°C, 1 Door, 427 lt, Mod.CGL450G2T**

Multi-temperature display case from +5° to -20°C for pastry shops, 1 door, ventilated refrigeration, Curve Line, with 4 display sides, 5 rectangular shelves measuring 565x445 mm, capacity 427 liters, V.230/1, Kw.0.75, Weight 186 Kg, dim.mm.720x620x1860h

**SL-CPS800V****Refrigerated Pastry Display Cabinet 1 Door, 4 display sides, 4 rectangular shelves, CURVE Line**

Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 4 rectangular glass shelves, capacity 832 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 260 kg, dim.mm.900x900x1860h

**SL-CGL450R2T**



**TECHNOCHEF - Refrigerated Pastry Display Case, Temp.+5°-20°C, 1 Door, 427 lt., Mod.CGL450R2T**  
Multi-temperature display case from +5° to -20°C for pastry shops, 1 door, ventilated refrigeration, Curve Line, with 4 display sides, 5 rotating glass shelves Ø 452, capacity 427 liters, V.230/1, Kw.0.54 , Weight 186 Kg, dim.mm.720x620x1860h

**SL-CGL600G2T**



**TECHNOCHEF - Refrigerated Pastry Display Case, Temp.+5°-20°C, 1 Door, 541 lt, Mod.CGL600G2T**  
Multi-temperature display case from +5° to -20°C for pastry shops, 1 door, ventilated refrigeration, Curve Line, with 4 display sides, 5 rectangular shelves measuring 747x445 mm, capacity 541 liters, V.230/1, Kw.0.85, Weight 205 Kg, dim.mm.900x620x1860h