



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
SL-CPS1200V/V	Refrigerated pastry display case with 2 doors, CURVE line, with 4 display sides, 10 rectangular glass shelves, capacity 1,082 litres, temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw.0.54 +0.54, weight 318 kg, dim.mm.1750x620x1860h	

PROFESSIONAL DESCRIPTION

REFRIGERATED PASTRY SHOWCASE 2 DOORS, CURVE Line, version with 2 INDEPENDENT COMPARTMENTS, 4 DISPLAY SIDES, 10 RECTANGULAR GLASS SHELVES, capacity 1082 litres, temperature +4°/+10°C :

- **external structure in silver anodized aluminium ;**
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides ;**
- **10 rectangular glass shelves measuring 747x420 mm ;**
- **capacity 1082 litres ;**
- **operating temperature +4°/+10°C ;**
- **2 “ sensitive touch ” control panels** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated refrigeration ;**
- **automatic defrost ;**
- **LED lighting** as standard on both sides of the internal compartment;
- lumen/meter: 2 x 1200 lm;
- humidity: 75%;
- **compressors and the touch screen thermostat are of the latest generation**, guaranteeing **high efficiency** and **low absorption** , with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options :

- locking with key
- glass shelf
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark

Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,08
net weight (Kg)	318
breadth (mm)	1750
depth (mm)	620
height (mm)	1860



TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV ◻	Suction Cups Kit Suction cups kit (N.4)	
SL-KSVG ◻	Support kit for glass and grids Support kit for glass and grilles (N.4)	
SL-RPV60/120 ◻	Glass shelf Glass shelf (N.1)	
SL-LED ◻	Additional Led Additional led	
SL-KP70/90/12 ◻	Adjustable Feet Kit Adjustable feet kit	
SL-CC70/90/12 ◻	Key closure Lock with key	
SL-VSP120 ◻	Mirror Glass Mirror glass (N.1)	
SL-IMLEG120 ◻	Wooden case packing Wooden crate packaging	

SL-RAL/70/90/120



Finish and Colors Ral of your choice



VISTA LATERALE
Side view / Seitenansicht / Vue latérale