



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



| CODE | DESCRIPTION | PRICE/DELIVERY |
|-------------------|---|----------------|
| SL-CPS350V | Refrigerated pastry display case with 1 door, CURVE line, with 4 display sides, 5 rectangular glass shelves, capacity 360 litres, operating temperature +4°/+10°C, ventilated refrigeration, V.230/1, Kw. 0.54, weight 155 kg, dim.mm.620x620x1860h | |

PROFESSIONAL DESCRIPTION

REFRIGERATED PASTRY SHOWCASE 1 DOOR, CURVE Line, with 4 DISPLAY SIDES, 5 RECTANGULAR GLASS SHELVES, capacity 360 litres, temperature +4°/+10°C :

- **external structure in silver anodized aluminium ;**
- showcase built using **insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides ;**
- **5 rectangular glass shelves measuring 465x420 mm ;**
- **capacity 360 litres ;**
- **operating temperature +4°/+10°C ;**
- **“ sensitive touch ” control panel** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated refrigeration ;**
- **automatic defrost ;**
- **LED lighting** as standard on both sides of the internal compartment;
- lumen/meter: 2 x 1200 lm;
- humidity: 75%;
- **compressors and the touch screen thermostat are of the latest generation**, guaranteeing **high efficiency** and **low absorption** , with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options :

- locking with key
- glass shelf
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark

Made in Italy

TECHNICAL CARD

| | |
|----------------------------------|----------|
| power supply | Monofase |
| Volts | V 230/1 |
| frequency (Hz) | 50 |
| motor power capacity (Kw) | 0,54 |
| net weight (Kg) | 155 |
| breadth (mm) | 620 |
| depth (mm) | 620 |
| height (mm) | 1860 |

TECHNICAL CARD

| CODE/PICTURES | DESCRIPTION | PRICE/DELIVERY |
|---------------------------|---|----------------|
| SL-KV ◻ | Suction Cups Kit Suction cups kit (N.4) | |
| SL-KSVG ◻ | Support kit for glass and grids Support kit for glass and grilles (N.4) | |
| SL-RPV350 ◻ | Glass shelf Glass shelf (N.1) | |
| SL-KP25/80 ◻ | Adjustable Feet Kit Adjustable feet kit | |
| SL-LED ◻ | Additional Led Additional led | |
| SL-CC25/80 ◻ | Key closure Lock with key | |
| SL-VSP35/45 ◻ | Mirror glass Mirror glass (N.1) | |
| SL-IMLEG25/35 ◻ | Wooden case packing Wooden crate packaging | |

SL-RAL



Finish and Colors Ral of your choice

