



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF055-0300	GLASSWASHERS-CUP WASHERS SQUARE rack bar of 400x400 mm, ELECTROMECHANICAL controls, 1 cycle of 120 sec, 30 racks/hour, max height of glasses 300 mm, RINSE AID dispenser, V.230/1, Kw. 3.2, weight 37 kg, dim.mm.455x550x700h.	€ 810,01 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

GLASSWASHER with SQUARE rack measuring 400x400 mm or Round rack diameter 400 mm with specific support, output 30 racks/hour, ELECTROMECHANICAL controls :

- **washing and rinsing arms** in **AISI 304 stainless steel** , easily inspectable;
- **fully molded self-cleaning tank** to facilitate the flow of impurities;
- **molded basket supports** to facilitate cleaning of the machine as well as for greater ergonomics;
- **Thermostop system** to guarantee rinsing at the appropriate temperature for correct sanitization of the object to be washed;
- **anti-drip roof** ;
- **control panel** removable from the front;
- **ease of maintenance** : the most sensitive components have been positioned on the front of the machine (solenoid valve, thermostats, resistors, dispensers, pump, etc.);
- **preparation of drain pump** ;
- **rinse aid dispenser as standard** ;
- **non-return valve as standard** ;
- **partial double-wall bodywork** , which guarantees a reduction in heat dispersion of 25%;
- double-walled door;
- **n. 1 wash cycle of 120 seconds** ;
- **hourly productivity: 30 baskets/hour** ;
- **useful washing height: 300 mm** ;
- water consumption per cycle 2 lt;
- tank capacity: 12 litres;
- boiler capacity: 3 litres;
- **washing pump power Kw.0.2** ;
- tank resistance: 2.4 kW;
- boiler resistance: 3.00 kW;
- dim.mm.455x550/891x700h.
- **NOTE**
- By ordering the **appropriate SUPPORT** it is possible to use **round baskets with a diameter of 40 cm**

Supplied :

- 2 Glass Baskets 400 x 400 mm,
- 1 Spoon Holder Basket,
- 1 saucer rack,
- 1 water inlet hose (2 m long),
- 1 Drain Hose (2.5 m long).

Accessories/Options :

- 40x40 cm **round basket support** ,
- **ROUND basket diam.400 mm**
- .Detergent dispenser kit,
- Drain pump kit,

CE mark

Made in Italy


TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	3,2
net weight (Kg)	37
gross weight (Kg)	44
breadth (mm)	455
depth (mm)	550
height (mm)	700

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

TCF055-0370



Round Basket Support
Round basket support diam.40 cm

€ 14,73
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

TCF055-0360



40x40 Square Basket
Square basket 40x40 cm

€ 24,74
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

TCF055-0350




Round Basket Ø 40
Round basket diam.40 cm

€ 28,28
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

TCF055-0480




Detergent dosing kit
Detergent dosing kit

€ 83,20
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



TCF055-0485



Drain Pump Kit
Underbase drain pump kit

€ 93,60
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



- (EI) CAVO DI ALIMENTAZIONE
POWER CORD SUPPLY
CABLE D'ALIMENTATION
CABLE DE ALIMENTACION
- (WI) CANNA DI CARICO G 3/4 L=2000 mm
G 3/4 INLET HOSE L=2000 mm
TUYAU D'ALIMENTATION G 3/4" L=2000 mm
TUBO DE ALIMENTACION G 3/4" L=2000 mm
- (D) TUBO DI SCARICO ø 29 mm L=2500 mm
DRAIN HOSE ø 29 mm L=2500 mm
TUYAU DE VIDANGE ø 29 mm L=2500 mm
TUBO DE DESAGUE ø 29 mm L=2500 mm
- (D-DP) TUBO DI SCARICO ø 29 mm L=2500 mm (CON POMPA SCARICO)
DRAIN HOSE ø 29 mm L=2500 mm (WITH DRAIN PUMP)
TUYAU DE VIDANGE ø 29 mm L=2500 mm (AVEC POMPE DE VIDANGE)
TUBO DE DESAGUE ø 29 mm L=2500 mm (CON POMPA DE DESAGUE)