

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973 $\,$



CODE	DESCRIPTION	PRICE/DELIVERY
TCF055-0500	DISHWASHER-WASHING MACHINE with 500x600 mm basket, ELECTRONIC controls, capacity of 4 GN 1/1 or mm trays. 600x400, 3 cycles of 90/120/180, double rinse aid dispenser+Tub Detergent, V.400/3+N, Kw.5,18, Weight 68 Kg, dim.mm.600x703x850h	€ 1.795,63 VAT escluded Shipping to be calculed Delivery from 8 to 15 days
PROFESSIONAL DESCRIPTION		

DISHWASHER-WASHING MACHINE with 500x600 mm rack, output 40-30-20 baskets/hour, ELECTRONIC CONTROLS:

- washing and rinsing arms in AISI 304 stainless steel;
- fully molded self-cleaning tank to facilitate the flow of impurities;
- possibility of washing up to 4 GN 1/1 trays (53x32.5 cm) or 4 60x40 cm trays (pizza/pastry);
- multichromatic electronic control panel which allows the display of the different operating stages of the dishwasher;
- soft start of the washing pump to prevent lighter objects from tipping over due to the initial start of the pump;
- Thermostop system to guarantee rinsing at the appropriate temperature for correct sanitization of the object to be washed;
- self-cleaning cycle of the tank at the end of the day;
- o anti-drip roof;
- control panel removable from the front;
- preparation of drain pump;
- o integrated electric rinse aid and detergent dispensers, adjustable from the control panel;
- non-return valve as standard;
- $\circ \ \, \text{bodywork built in total double wall} \text{ which guarantees a reduction in heat dispersion of 60\%;} \\$
- double-walled door:
- \circ n 3 wash cycles of 90/120/180 sec + continuous cycle;
- hourly productivity: 40-30-20 baskets/hour;
- useful washing height: 400 mm;
- water consumption per cycle 2 liters;
- o tank capacity: 22 litres;
- o boiler capacity: 5 litres;
- washing pump power Kw.0.68;
- tank resistance: 2.4 kW;
- o boiler resistance: 4.5 kW;
- o dim.mm.600x703/1143x850h.

Supplied:

- Basket for 4 trays/trays,
- 1 glass/utensil basket 500 x 600 mm,
- 1 water inlet hose (2 m long),
- 1 Drain Hose (2.5 m long)

Accessories/Options:

- Undercounter drain pump kit,
- o Stainless steel basket holder base for mod. 50x60,

CODE/PICTURES

- Basket 50x60 glasses,
- Basket 50x60 plates.

CE mark Made in Italy

TECHNICAL CARD		
power supply	Trifase	
Volts	V 400/3 +N	
frequency (Hz)	50	
motor power capacity (Kw)	5,18	
net weight (Kg)	68	
gross weight (Kg)	81	
breadth (mm)	600	
depth (mm)	703	
height (mm)	850	
TECHNICAL CARD		

DESCRIPTION

PRICE/DELIVERY

TCF055-0640



CestoPiatti 50x60Basket for dishes 50x60 cm

€ 57,18

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TCF055-0485



Drain Pump Kit Underbase drain pump kit € 93,60

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TCF055-0650



50x60 Basket Basket for glasses 50x60 cm € 57,18

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days

TCF055-0470



Base unit for dishwasher with guides for 50x50 cm baskets

Stainless steel base suitable for dishwashers with basket guides cm.50x50, dim.cm.57x62x55/61h.

€ 250,13

VAT escluded

Shipping to be calculed

Delivery from 4 to 9 days