



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FO-G-PA2100TN</b>	Refrigerated Table 2 Doors with neutral drawer, Professional, Pastry Trays 600x400 mm, capacity 390 litres, temperature +2°/+8°C, ventilated refrigeration, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw.0, 26, weight 140 kg, dim.mm.1510x800x860h	<b>€ 1.037,85</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
<b>PROFESSIONAL DESCRIPTION</b>		

## 2 DOOR REFRIGERATED TABLE with NEUTRAL DRAWER, capacity 390 litres, temperature +2°C /+8°C, ECOLOGICAL in Class B:

- **AISI 304 stainless steel structure,**
- **ventilated refrigeration ;**
- **Compartments suitable for inserting grids or pastry/pizza trays (600x400 mm);**
- **1 neutral drawer above the technical compartment ;**
- built-in **refrigeration unit removable** for easy maintenance;
- **opening front panel with key ;**
- **circular flow of the cold air** so as not to directly touch the product;
- electronic temperature control with **digital thermostat ;**
- electric **resistance** around **the door frame** to eliminate condensation;
- **automatic defrost** with electric resistance and **automatic temperature control defrost temperature ;**
- **automatic evaporation of condensation water ;**
- **anti-corrosion** treated evaporator;
- **ECOLOGICAL refrigeration unit with R290 gas ;**
- **energy class B ;**
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm ;**
- door with **return spring ;**
- door seal removable without tools;
- bottom with **rounded corners ;**
- height-adjustable feet in **Aisi 304 stainless steel ;**
- **stainless steel backrest** , possibility of leaning against the wall;
- internal dimensions 1052x630x589h mm;
- external dimensions 1510x800x860h mm.

### Supplied :

- n.2 grids of 400x600 mm
- n.4 guides.

### Options/Accessories :

- **pair of guides to support** trays ( **code FOGUT** );
- **pair of anti-tipping guides** for grill ( **code FOGAR** );
- **kit of 4 wheels** with a diameter of 120 mm, two of which with brakes ( **code FORU0120** );
- plasticized **grid** ( **code FOGRP64** );
- **rear splashback** on the top ( **code ALZ2100P** ).

### NOTE:

*IN THE COMPARTMENT NEAR THE REFRIGERATION UNIT IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS, so as not to obstruct the circulation of the cold.*

**CE MARK**  
**MADE IN ASIA**

### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,26
<b>net weight (Kg)</b>	140
<b>gross weight (Kg)</b>	166
<b>breadth (mm)</b>	1510
<b>depth (mm)</b>	800
<b>height (mm)</b>	860

### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------

**FOALZ2100P**

**Rear upstand on the top for Mod. FOPA2100TN**  
 Back upstand on the top for mod. PA2100

**€ 22,90**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days**FO-GRP64**

**Forcar - Plasticized Grid**  
 600x400 mm plastic coated grid

**€ 11,24**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**FO-GUT**

**Forcar - Driving Couple**  
 Pair of trays for trays

**€ 17,18**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**FO-GAR**

**Forcar - Pair of anti-tilt guides**  
 Pair of anti-tilt guides for grill

**€ 20,04**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days**FO-RUO120**

**Forcar - 4 wheels kit, 2 with brake**  
 4 wheels kit with 120 mm diameter, 2 of which with brake.

**€ 78,62**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

Cassetto neutro  
 sopra vano tecnico

TECHNOCHEF.IT



Optional  
Alzatina posteriore sul piano

