



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
BS-G7T4P4F+FG	COMBINED KITCHEN with GAS HOB and 4 BURNERS on GN 2/1 GAS OVEN, BERTOS, MACROS 700 Line, HIGH POWER Series, total thermal power 35.8 kW, weight 146, dim.mm.1200x700x900h	

PROFESSIONAL DESCRIPTION

COMBINED KITCHEN with GAS HOB and 4 BURNERS on GN 2/1 GAS OVEN, MACROS 700 line , HIGH POWER series :

- **worktop and front and side panels in AISI 304 stainless steel ;**
- **solid plate in high thickness steel** with characteristics of **high resistance** and **heat distribution in differentiated thermal zones** : maximum temperature in the center and decreasing towards the edges;
- **7 kW central burner with optimized combustion** , operated by a valved tap with safety thermocouple and protected pilot light;
- **piezoelectric ignition** with silicone protection;
- **open fire burners entirely in nickel-plated cast iron with single and double crown, high power** equipped with pilot flame and guaranteed for life, operated by a valved tap with safety thermocouple and protected pilot light;
- **open fire power n°x kW : 2 x 3.5 kW + 2 x 7 kW ;**
- **cast iron grills ;**
- maximum cleaning and maintenance guaranteed by the complete removability of both the burner body and the burner trays;
- **static gas oven equipped with pilot flame** entirely **made of stainless steel** , with **4-level supports for grids and GN 2/1 trays** (530x650 mm);
- **oven burner with self-stabilised flame** and **thermostat adjustable from 160 to 280 °C .**
- **oven power kW 7.8 ;**
- molded door front without gasket for greater insulation and cleaning;
- door and inner door pressed in AISI 304 stainless steel;
- high-resistance door handle in 20/10 thick AISI 304 steel;
- adjustable feet;
- **2 year warranty .**

Supplied :

- piezoelectric oven ignition
- 1 anti-tipping oven rack

Accessories/Options :

- compartment door

CE mark

Made in Italy

TECHNICAL CARD


Thermal input (Kw)	35,8
net weight (Kg)	146
gross weight (Kg)	161
breadth (mm)	1200
depth (mm)	700
height (mm)	900




MACROS 700

highpower

	n.	2	2	TP
	Ø mm	80	110	70
	kW	3,5	7	7
	kcal/h	3.010	6.020	6.020
	Btu/h	11.942	23.884	23.884
	GN	2/1		
	mm	530 x 650 x 4 pos.		
	kW	7,8		
	kcal/h	6.708		
	Btu/h	26.614		
	TOT. kW	35,8		
	kcal/h	30.788		
	Btu/h	122.150		
	G30/G31	kg/h	2,82	
	G20	m³/h	3,79	
	G25	m³/h	4,41	






macros 700

HIGH POWER



3.5 kW



7 kW