



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
BS-E7WOK/IND	ELECTRIC COOKER with 1 INDUCTION WOK PLATE on OPEN CABINET, MACROS 700 line, POWER INDUCTION Series, with COOKING AREA Ø 300 mm, V.230/1, Kw.3.5, Weight 40 Kg, dim.mm.400x700x900h	€ 2.937,61 <i>VAT excluded</i> Shipping to be calculated Delivery from 15 to 25 days

PROFESSIONAL DESCRIPTION

ELECTRIC COOKER with 1 INDUCTION WOK PLATE on OPEN CABINET, MACROS 700 Line, POWER INDUCTION Series :

- **worktop in AISI 304 stainless steel and glass ceramic with a thickness of 6 mm ;**
- front panels in AISI 304 stainless steel;
- **maximum energy saving** as the heating of the cooking area is activated only when the pan is in direct contact with the surface;
- **the heating zone self-regulates based on the diameter of the pan ;**
- immediate automatic interruption when the pan is removed from the hob;
- **power regulation via robust high-precision control ;**
- **cooking area with a diameter of 300 mm and 3.5 kW power ;**
- adjustable feet;
- **2 year warranty .**

Accessories/Options:

- compartment door



CE mark
Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	3,5
net weight (Kg)	40

breadth (mm)	400
depth (mm)	700
height (mm)	900

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p>BS-1PDX</p> 	<p>TECHNOCHEF - Right Door, Mod.1PDX Right hand door for 400 mm compartment</p>	<p>€ 94,83 <i>VAT excluded</i> Shipping to be calculated</p> <p>Delivery from 4 to 9 days</p>
<p>BS-1PSX</p> 	<p>TECHNOCHEF - Left Door, Mod.1PSX Left door for 400 mm compartment</p>	<p>€ 94,83 <i>VAT excluded</i> Shipping to be calculated</p> <p>Delivery from 4 to 9 days</p>






macros 700

INDUCTION 



POWER INDUCTION

3,5 kW Ø 300 mm




macros 700

INDUCTION



	n.	1
	Ø mm	300
	kW	3,5
	220 - 240 V~	
	TOT. kW	3,5



macros 700

INDUCTION

