



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413


Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



Colori e combinazioni

Struttura



nero
black

avorio
ivory

Cornice



argento
silver



nero
black



chiaro
light wood



scuro
dark wood

PROFESSIONAL DESCRIPTION

REFRIGERATED CELLAR for WINE, Multi-Temperature, Static Refrigeration, capacity 260 Bordeaux bottles, Class A :

Customization

- **the wine cellar fridge can be configured with multiple combinations of colors and frames by choosing the preferred combination between two colors for the structure** (black and ivory) **and four door frames** (silver, black, light and dark).

Internal fittings

- STANDARD: **Elegant black metal shelves that allow you to stack the bottles in order to reach maximum values in terms of capacity.**
-
- **The wine cellar can be customized with different internal layouts** , to be ordered separately (**Optional**):
 - **EXTRACTABLE DRAWERS** : the **drawers slide on guides** that offer **maximum fluidity** and a **cushioned end stop** . Specific drawer holder brackets are necessary to guarantee this level of performance and reliability. **The wooden front of the drawer is coordinated with the color of the external frame of the structure** and has a seat designed for labeling the bottles.
-

Energy saving

- **maximum reduction of dispersion from inside to outside and vice versa** ;
- first wine cellar to adapt to the new EU legislation
- **exceptional insulation with notable savings in operating consumption** (60% savings compared to previous lines)

Maximum silence

- **4 operating modes** : **Normal** , **Booster** (up to -2° compared to the set setting), **Silence** (-4 db) and **Economy** (temperature conservation for up to 12 hours of stand-by out of service)

Ethical commitment

- Recycled and **recyclable plastic materials are used for the body** , and **low-impact polyurethane foams for the insulating materials** , made with CFC-free blowing agents. The refrigerant used is R290 (propane), a "naturally" green refrigerant gas.

Design

- New smart, young and modern design.

Conquest of space

- **Flexibility and functionality of the exhibition spaces**

Tailored temperatures

- Always precise, constant and adjustable.

Static refrigeration version (multi-temperature)

- **Thanks to the skilful management of cold air flows, modulating the natural stratification of temperatures, the compartment is divided into several sectors at different temperature levels .**

Digital temperature control

- **Temperature adjustable from +2° to 10°C or from +12° to +20°C**

Door with double glazing and lock

- **Double glazing made of double glass** and **large 14mm thick internal chamber** .
- **External glass** and **internal glass** both **TEMPERED** .
- **Internal glass made with the innovative magnetron system** (very thin layer of metal oxide) to improve thermal insulation.
- **Internal glass made with low emissivity** (insulating treatment) to improve thermal insulation and to avoid the formation of humidity.
- Thermal insulation of the internal glass with extremely low Ug thermal transmittance value.
- Channel on the chamber made with enhanced performance to facilitate thermal cutting.

Technical data :

- Capacity (in Bordeaux): 260 bottles (without internal accessories)
- Capacity 536 litres
- Energy Saving: Class A, only with glass door
- Multi-Temperature: +2°/+10°C (SET +2) ~ +12°/+20°C (SET +12)
- Interior LED lighting
- Gas Type R290: is a natural, highly efficient refrigerant fluid (up to 15% more efficient than R134a), designed for high performance and long life, has a ZERO Ozone Depletion Potential and a low GWP value (3 GWP).
- Control Panel: Multi touch display
- Static refrigeration
- Environmental Operating Conditions: TA 30°C - 55% RH (Clim. Class 4)
- Emission Level: 38 db (A)

Variants :

1. **Structure color** : Black, ivory
2. **Frame Color** : Black, silver, dark wood, light wood

Accessories/Options :

- Shelf (additional) complete with 4 spacers, max capacity 65 Bordeaux bottles
- Removable drawer

CE mark

Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,22
net weight (Kg)	135
gross weight (Kg)	150
breadth (mm)	820
depth (mm)	756
height (mm)	1962

AVAILABLE MODELS

EF-H2000/SNN



ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Black Frame, Mod H2000 / SNN
REFRIGERATED WINE CELLAR, 1 glass door, black structure and black frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SNS



ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Dark Wood Frame, Mod H2000 / SNS
REFRIGERATED WINE CELLAR, 1 glass door, black structure and dark wood frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SNA



ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Silver Frame, Mod.H2000 / SNA
REFRIGERATED WINE CELLAR, 1 glass door, black structure and silver frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SNC



ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Light Wood Frame, Mod.H2000 / SNC
REFRIGERATED WINE CELLAR, 1 glass door, black structure and light wood frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SAN



ENOFRIGO - Refrigerated Wine Cellar for Wine, Ivory Structure and Black Frame, Mod H2000 / SAN
REFRIGERATED WINE CELLAR, 1 glass door, with ivory structure and black frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SAS



ENOFRIGO - Refrigerated Wine Cellar, Ivory Structure and Dark Wood Frame, Mod H2000 / SAS
REFRIGERATED WINE CELLAR, 1 glass door, ivory structure and dark wood frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SAA



ENOFRIGO - Refrigerated Wine Cellar, Ivory Structure and Silver Frame, Mod H2000 / SAA
REFRIGERATED WINE CELLAR, 1 glass door, ivory structure and silver frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 ° C, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

EF-H2000/SAC



ENOFRIGO - Refrigerated Wine Cellar, Ivory Structure and Light Wood Frame, Mod.H2000 / SAC

REFRIGERATED WINE CELLAR, 1 glass door, ivory structure and light wood frame, capacity 260 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting , V.230 / 1, Kw.0,22, dim.mm.820x756x1962h

€ 3.033,99

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

EF-RPN



TECHNOCHEF - Shelf complete with 4 spacers, Mod.EF-RPN

Shelf complete with 4 spacers, max 65 bottles bordeaux capacity, dim.mm.691x515x35h

€ 41,29

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days




Dimensioni - Dimensions

Mod. H2000



1962




820

TECHNOCHEF.IT





Colori e Composizioni - Colours and Combinations



Esempi di allestimento

Mod. H2000





Versione a refrigerazione statica (multi-temperatura)

Grazie alla sapiente gestione dei flussi di aria fredda, modulando la stratificazione naturale delle temperature, si ottiene una suddivisione del vano in più settori a differenti livelli di temperatura.





TECHNOCHEF.IT



TECHNOCHEF.IT





TECHNO CHEF.IT



TECHNO CHEF.IT





