



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

## REFRIGERATED CELLAR for WINE, Multi-Temperature, Static Refrigeration, capacity 195 Bordeaux bottles, Class A :

### Customization

- **the wine cellar fridge, with a black structure, can be configured with multiple combinations of frame colors by choosing your favorite combination from those available and four door frames** (silver, black, light and dark).

### Internal fittings

- **Please note: The interior needs to be configured, there are NO shelves or grids as standard** , they are available for holding bottles.
- **The wine cellar can be customized with different internal layouts** , to be ordered separately ( **Optional** ):
  - **ELEGANT black metal SHELVES** that allow you to stack the bottles in order to reach maximum values in terms of capacity.
  - **EXTRACTABLE DRAWERS slide on guides** that offer **maximum fluidity** and a **cushioned end stop** . Specific drawer holder brackets are necessary to guarantee this level of performance and reliability. **The wooden front of the drawer is coordinated with the color of the external frame of the structure** and has a seat designed for labeling the bottles.

### Energy saving

- **maximum reduction of dispersion from inside to outside and vice versa** ;
- first wine cellar to adapt to the new EU legislation
- **exceptional insulation with notable savings in operating consumption** (60% savings compared to previous lines)

### Maximum silence

- **4 operating modes** : **Normal** , **Booster** (up to -2° compared to the set setting), **Silence** (-4 db) and **Economy** (temperature conservation for up to 12 hours of stand-by out of service)

### Ethical commitment

- Recycled and **recyclable plastic materials are used for the body** , and **low-impact polyurethane foams for the insulating materials** , made with CFC-free blowing agents. The refrigerant used is R290 (propane), a "naturally" green refrigerant gas.

### Design

- New smart, young and modern design.

### Conquest of space

- **Flexibility and functionality of the exhibition spaces**

### Tailor-made temperatures

- Always precise, constant and adjustable.

### Static refrigeration version ( multi-temperature )

- **Thanks to the skilful management of cold air flows, modulating the natural stratification of temperatures, the compartment is divided into several sectors at different temperature levels** .

### Digital temperature control

- **Temperature adjustable from +2° to 10°C or from +12° to +20°C**

### Door with double glazing and lock

- **Double glazing made of double glass and large 14mm thick internal chamber** .
- **External glass and internal glass both TEMPERED** .
- **Internal glass made with the innovative magnetron system** (very thin layer of metal oxide) to improve thermal insulation.
- **Internal glass made with low emissivity** (insulating treatment) to improve thermal insulation and to avoid the formation of humidity.
- Thermal insulation of the internal glass with extremely low Ug thermal transmittance value.
- Channel on the chamber made with enhanced performance to facilitate thermal cutting.

### **Technical data :**

- Capacity (in Bordeaux): **195 bottles ( without internal accessories )**
- Capacity 406 litres
- Energy class A
- Multi-Temperature: +2°/+10°C (SET +2) ~ +12°/+20°C (SET +12)
- Internal lighting with 2 light points positioned on the ceiling
- Gas Type R290: is a natural, highly efficient refrigerant fluid (up to 15% more efficient than R134a), designed for high performance and long life, has a ZERO Ozone Depletion Potential and a low GWP value (3 GWP) .
- Control Panel: Multi touch display
- Static refrigeration
- Environmental Operating Conditions: ambient temperature 30°c - 55% RH (Clim. Class 4)
- Emission Level: 38 db (A)

### **Variants :**

1. **Structure color** : Black
2. **Frame Color** : Black, silver, dark wood, light wood

### **Accessories/Options :**

- Shelf complete with 4 spacers, max capacity 65 Bordeaux bottles
- Removable drawer

**CE mark**

**Made in Italy**

### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,22
<b>net weight (Kg)</b>	125
<b>gross weight (Kg)</b>	140
<b>breadth (mm)</b>	820
<b>depth (mm)</b>	756
<b>height (mm)</b>	1620

### AVAILABLE MODELS

#### EF-H1600/SNN



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Black Frame, Mod.H1600 / SNN**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and black frame, 195 bottles capacity, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

#### EF-H1600/SNS



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Dark Wood Frame, Mod.H1600 / SNS**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and dark wood frame, cap. 195 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V.230 / 1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

#### EF-H1600/SNA



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Silver Frame, Mod.H1600 / SNA**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and silver frame, 195 bottles capacity, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting, V. 230/1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days

#### EF-H1600/SNC



**ENOFRIGO - Refrigerated Wine Cellar, Black Structure and Light Wood Frame, Mod.H1600 / SNC**  
REFRIGERATED WINE CELLAR, 1 glass door, black structure and light wood frame, capacity 195 bottles, multi-temperature + 2 ° / + 10 ° C - + 12 ° / + 20 °, digital controls, static refrigeration, LED lighting , V.230 / 1, Kw.0,22, dim.mm.820x756x1620h

**€ 2.577,41**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 8 to 15 days


### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>EF-RPN</b> 	<b>TECHNOCHEF - Shelf complete with 4 spacers, Mod.EF-RPN</b> Shelf complete with 4 spacers, max 65 bottles bordeaux capacity, dim.mm.691x515x35h	<b>€ 41,29</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



## Dimensioni - Dimensions

### Mod. H1600




## Colori e Composizioni - Colours and Combinations



cornice  
surround




struttura  
structure



nero  
black



avorio  
ivory




### Versione a refrigerazione statica (multi-temperatura)

Grazie alla sapiente gestione dei flussi di aria fredda, modulando la stratificazione naturale delle temperature, si ottiene una suddivisione del vano in più settori a differenti livelli di temperatura.




### Esempi di allestimento

Mod. H1600









TECHNO CHEF.IT



TECHNO CHEF.IT







