



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>SL-CGL1300S/S/S</b>	Freezer-Freezer display case for ice cream shop with 3 doors, temperature -15°/-25°C, static refrigeration, Curve Line, with 4 display sides, 18 rectangular shelves measuring 560x460 mm, capacity 1388 litres, V.230/1, Kw. 0.7+0.7+0.7, weight 424 kg, dim.mm.2050x620x1860h	

**PROFESSIONAL DESCRIPTION**

**FREEZING DISPLAY CABINET for ICE CREAM SHOP with 3 doors, CURVE line, 4 display sides and 18 rectangular shelves, STATIC refrigeration, temperature -15°/-25°C :**

- **external structure** in silver anodized aluminium ;
- **showcase built using insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides** ;
- **18 FIXED rectangular shelves measuring 560x460 mm** ;
- **capacity 1388 litres** ;
- **operating temperature -15°/-25°C** ;
- **“sensitive touch” control panel** with a unique and exclusive design, the result of a long IT and design study;
- **static refrigeration with 18 FIXED evaporating GRILLED SHELVES** ;
- manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- LED lighting (N° x Lm): 2 x 1200;
- **compressor** and **touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

**Accessories/Options:**

- locking with key
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

**CE mark**

**Made in Italy**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	2,1
<b>net weight (Kg)</b>	424
<b>gross weight (Kg)</b>	455
<b>breadth (mm)</b>	2050
<b>depth (mm)</b>	620
<b>height (mm)</b>	1860

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>SL-KV</b> ◻	<b>Suction Cups Kit</b> Suction cups kit (N.4)	
<b>SL-KSVG</b> ◻	<b>Support kit for glass and grids</b> Support kit for glass and grilles (N.4)	
<b>SL-RPV45/90/130</b> ◻	<b>Glass shelf</b> Glass shelf (N.1)	
<b>SL-LED</b> ◻	<b>Additional Led</b> Additional led	
<b>SL-KP1300</b> ◻	<b>Adjustable Feet Kit</b> Adjustable feet kit	
<b>SL-CC1300</b> ◻	<b>Key closure</b> Lock with key	
<b>SL-VSP1300</b> ◻	<b>Mirror glass</b> Mirror glass (N.1)	
<b>SL-IMLEG1300</b> ◻	<b>Wooden case packing</b> Wooden crate packaging	

## SL-RAL/1300



**Finish and Colors**  
Ral of your choice



# Curve



## CGL 1300 S/S/S

### CARATTERISTICHE GENERALI

- 15°-25° C
- 40% Umidità
- 2 x 1200 lm
- Sbrinatorio Manuale
- Refrigerazione Statica T° Negativa
- 230 V - 50



LAYOUT	VOLUME lt	RIPIANI	DIMENSIONI mm - kg	COMPRESSORE
	1388	18 (560 x 460)	2050 x 620 x 1860 - 424	700 + 700 + 700 Watt



VISTA LATERALE  
Side view / Seitenansicht / Vue latérale