



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
SL-CGL450R2T	Multi-temperature display case from +5° to -20°C for pastry shops, 1 door, ventilated refrigeration, Curve Line, with 4 display sides, 5 rotating glass shelves Ø 452, capacity 427 liters, V.230/1, Kw.0.54 , Weight 186 Kg, dim.mm.720x620x1860h	

PROFESSIONAL DESCRIPTION

MULTI-TEMPERATURE SHOWCASE from +5° to -20°C for PASTRY 1 door, CURVE line, 4 display sides and 5 ROTATING GLASS SHELVES, Ventilated Refrigeration :

- **external structure** in silver anodized aluminium ;
- **showcase built using insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides** ;
- **5 ROTATING GLASS SHELVES Ø 452** ;
- **capacity 427 litres** ;
- **operating temperature +5°/-20°C** ;
- **“sensitive touch” control panel** with a unique and exclusive design, the result of a long IT and design study;
- **refrigeration type: ventilated 2 temperatures**;
- defrost type: automatic, hot gas;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- LED lighting (N° x Lm): 2 x 1200;
- **compressor** and **touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition.

Accessories/Options:

- locking with key
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark
Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,54
net weight (Kg)	186
gross weight (Kg)	201
breadth (mm)	720
depth (mm)	620
height (mm)	1860

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV □	Suction Cups Kit Suction cups kit (N.4)	
SL-KSVG □	Support kit for glass and grids Support kit for glass and grilles (N.4)	
SL-KP25/80 □	Adjustable Feet Kit Adjustable feet kit	
SL-RPV45/90/130 □	Glass shelf Glass shelf (N.1)	
SL-LED □	Additional Led Additional led	
SL-CC25/80 □	Key closure Lock with key	
SL-VSP35/45 □	Mirror glass Mirror glass (N.1)	
SL-IMLEG45/60 □	Wooden case packing Wooden crate packaging	

SL-RAL



Finish and Colors
Ral of your choice



Curve

CGL 450 R 2T



+5°-20° C



40% - 75%
Umidità



2 x 1200 lm



Sbrinamento
automatico



Sbrinamento
a gas caldo



Refrigerazione
ventilata
2 temperature



230 V - 50



LAYOUT



VOLUME lt

427

RIPIANI

5 (Ø 452)

DIMENSIONI mm - kg

720 x 620 x 1860 - 186

COMPRESSORE

540 Watt

