



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
SL-CPG1300S/S/V	Combined display case for ice cream/pastry shop, 3 doors, temp. -15°-25°C/+4°+10°C, Curve Line, 4 display sides, 12 static shelves + 5 glass shelves, ventilated/static refrigeration, capacity liters .1388, V.230/1, Kw.0.7+0.7+0.54, dim.mm.2050x620x1860h	

PROFESSIONAL DESCRIPTION

COMBINATION DISPLAY CABINET for ICE CREAM/PASTRY SHOP 3 doors, CURVE line, with 4 display sides and 12 static shelves + 5 glass shelves, VENTILATED/STATIC refrigeration, temperature -15°-25°C/+4°+10°C :

- **external structure** in silver anodized aluminium ;
- **showcase built using insulating double glazing** , compliant with EN UNI 1279;
- **exposure on 4 sides** ;
- **12 FIXED SHELVES** measuring 560x460 mm + **5 GLASS SHELVES** measuring 565x420 mm ;
- **capacity 1388 litres** ;
- **operating temperature -15°-25°C/+4°+10°C** ;
- **3 “sensitive touch” control panels** with a unique and exclusive design, the result of a long IT and design study;
- **ventilated/static refrigeration** ;
- automatic/manual defrost;
- **LED lighting as standard** on both sides of the internal compartment, ensuring uniform and low-consumption lighting;
- LED lighting (N° x Lm): 4 x 1200;
- humidity: 40% - 75%;
- **compressor** and **touch screen thermostat** are of the latest generation, guaranteeing high efficiency and low absorption, with notable advantages for operating economy;
- **accuracy** , **solidity** and **technology** are the prerogatives on which the CURVE line is based, an expression of solidity combined with practicality, capable of satisfying all types of use, where robustness and reliability come together in the name of tradition;
- thanks to these refrigerated display cases for pastry and ice cream shops you will be able to combine solidity and display elegance with the reliability of a made in Italy product.

Accessories/Options:

- locking with key
- support kit for glass and grilles
- suction cup kit
- adjustable feet kit
- mirror glass
- additional LED
- wooden crate packaging
- finishes and colours: RAL of your choice

CE mark

Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,94
net weight (Kg)	397
gross weight (Kg)	428
breadth (mm)	2050
depth (mm)	620
height (mm)	1860

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
SL-KV ◻	Suction Cups Kit Suction cups kit (N.4)	
SL-KSVG ◻	Support kit for glass and grids Support kit for glass and grilles (N.4)	
SL-RPV45/90/130 ◻	Glass shelf Glass shelf (N.1)	
SL-LED ◻	Additional Led Additional led	
SL-KP1300 ◻	Adjustable Feet Kit Adjustable feet kit	
SL-CC1300 ◻	Key closure Lock with key	
SL-VSP1300 ◻	Mirror glass Mirror glass (N.1)	
SL-IMLEG1300 ◻	Wooden case packing Wooden crate packaging	

SL-RAL/1300



Finish and Colors Ral of your choice



CURVE

CPG 1300 S/S/V



-15°-25° C
+4°+10° C



40% - 75%
Umidità



4 x 1200



AUTO

Sbrinatorio manuale e
Sbrinatorio automatico



T+


Refrigerazione ventilata e
Refrigerazione Statica T° Positiva




230 V - 50



LAYOUT	VOLUME lt	RIPIANI	DIMENSIONI mm - kg	COMPRESSORE
	1388	12 (560 x 460) 5 (565 x 420)	2050 x 620 x 1860 - 397	700+700+540 Watt



1300 S/V/2T



VISTA LATERALE
Side view / Seitenansicht / Vue latérale