



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



#### PROFESSIONAL DESCRIPTION

**ICE MAKER FAST ICE with VERTICAL CUBES with VERTICAL EVAPORATOR SYSTEM, WITHOUT DEPOSIT , 7 gr cube type , Max production 200 kg in 24 hours :**

- **Aisi 304 stainless steel structure** , Scotch Brite finish,
- **produces up to 200 kg per day of single crystalline cubes of 7 g** , thanks to the **inspectable limescale filter** that ensures the purity of the water used;
- **rounded internal surfaces** allow **easy maintenance and perfect hygiene** of this ice maker;
- **air** or **water** cooling,
- **vertical evaporator ice production system** ,
- **Fast Ice technology** : produces a **vertical-shaped cube that is pure and crystalline** ;
- **the technology** : the ice is formed on a vertical evaporator, similar to a mold for chocolates, thus allowing **high production in a short time**. The cubes are detached individually and fall into the container collection, perfectly separated from each other and of equal size;
- **the Fast Ice cube** : it has a **truncated pyramid shape** and thanks to its many facets **it allows the rapid cooling of drinks** ;
- **Recommended uses and activities** : hotels, bars and restaurants but above all **fast food, cocktail bars and discos** , activities that require very large quantities of ice to meet the needs of customers;
- refrigerant R404A - R452A;
- 20 A fuse;
- water inlet Ø 3/4 ";
- water drain Ø mm 24;
- water consumption: 2.4 l / kg (Air version);
- water consumption: 13 l / kg (Water version);
- tropical class + 43 ° C.

**NB** : Modular model, it must be combined with an ice storage container.

**CE MARK**

**MADE IN ITALY**

#### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>net weight (Kg)</b>	90

<b>gross weight (Kg)</b>	101
<b>breadth (mm)</b>	770
<b>depth (mm)</b>	550
<b>height (mm)</b>	805

#### AVAILABLE MODELS

##### TCF362-VM500W



#### **FAST ICE ICE MAKER 200 Kg / 24 hours with VERTICAL CUBES, Water Cooled**

FAST ICE ice maker with vertical cubes, max yield 200 Kg / 24h, to be combined with container for ice storage, water cooling, V.230 / 1, Kw 1,6, Weight 90 Kg, dim.mm.770x550x805h

**€ 2.405,95**

*VAT excluded*  
**Shipping to be calculated**

**Delivery**

##### TCF362-VM500A



#### **FAST ICE ICE MAKER 200 Kg / 24 hours with VERTICAL CUBES, Air Cooled**

FAST ICE ice maker with vertical cubes, max yield 200 Kg / 24h, to be combined with container for ice storage, air cooling, V.230 / 1, Kw 1,6, Weight 90 Kg, dim.mm.770x550x805h

**€ 2.377,71**

*VAT excluded*  
**Shipping to be calculated**

**Delivery**



## Fast Ice



Produttore di ghiaccio modulare



Contenitore deposito ghiaccio utilizzabili



Cod. BIN240PE



Cod. BIN200



Cod. BIN350




Cod. DRB100

## Tipologie di cubetto


### ▶ Fast Ice

TECHNOCHEF.IT



### Fast Ice

Il singolo cubetto verticale



TECHNOCHEF.IT



#### CONNESSIONI

	L	H	ø
1 - Ingresso acqua produzione ghiaccio	38	252	3/4"
2 - Ingresso acqua per condensatore	375	115	12 mm
3 - Scarico acqua	32	40	24 mm
4 - Scarico acqua per condensatore	28	93	12 mm
5 - Connessione Elettrica	33	323	-

