



Fast Ice



CODE	DESCRIPTION	PRICE/DELIVERY
TCF362-VM1700A	FAST ICE ice maker with vertical cubes, max yield 770 Kg / 24h, to be combined with container for ice storage, air cooling, V.400 / 3 + N, Kw 4.3, Weight 186 Kg, dim.mm.1250x645x950h	€ 6.459,29 <i>VAT excluded</i> Shipping to be calculated Delivery

PROFESSIONAL DESCRIPTION

ICE MAKER FAST ICE with VERTICAL CUBES with VERTICAL EVAPORATOR SYSTEM, WITHOUT DEPOSIT , 7 gr cube type , Max production 770 Kg in 24 hours :

- **Aisi 304 stainless steel structure** , Scotch Brite finish,
- **produces up to 770 kg per day of single 7 g crystalline cubes** , thanks to the **inspectable limescale filter** that ensures the purity of the water used;
- **rounded internal surfaces** allow **easy maintenance and perfect hygiene** of this ice maker;
- **air cooling** ,
- **vertical evaporator ice production system** ,
- **Fast Ice technology** : produces a **vertical-shaped cube that is pure and crystalline** ;
- **the technology** : the ice is formed on a vertical evaporator, similar to a mold for chocolates, thus allowing **high production in a short time**. The cubes are detached individually and fall into the container collection, perfectly separated from each other and of equal size;
- **the Fast Ice cube** : it has a **truncated pyramid shape** and thanks to its many facets **it allows the rapid cooling of drinks** ;
- **Recommended uses and activities** : hotels, bars and restaurants but above all **fast food, cocktail bars and discos** , activities that require very large quantities of ice to meet the needs of customers;
- refrigerant R404A - R452A;
- 32 A fuse;
- ice production water inlet Ø 3/4 ";
- water drain Ø mm 24;
- water consumption: 1.4 l / kg (Air version);
- tropical class + 43 ° C.

NB : Modular model, it must be combined with an ice storage container.

CE MARK
MADE IN ITALY

power supply	Trifase
Volts	V 400/3 +N
frequency (Hz)	50
net weight (Kg)	186
gross weight (Kg)	242
breadth (mm)	1250
depth (mm)	645
height (mm)	950



Fast Ice



Produttore di ghiaccio modulare



Cod. VM1700

Contenitori deposito
ghiaccio utilizzabili




Cod. BIN350




Tipologie di cubetto

► Fast Ice



Fast Ice

Il singolo cubetto verticale



CONNESSIONI

	L	H	ø
1 - Connessione Elettrica	520	292	-
2 - Ingresso acqua produzione ghiaccio	527	137	3/4"
3 - Scarico acqua	550	65	24 mm