



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF322-001400</b>	STAINLESS STEEL DISHWASHER, SQUARE basket 500x500 mm, front loading, DIGITAL controls, 4 cycles of 90/120/150/180 sec, max height of glasses 32 cm - plates 35 cm, with rinse aid and tank detergent dispenser, V. 230/1, Kw 3.12, weight 69 kg, dim.mm.585x610x815h	<b>€ 1.274,43</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**DISHWASHER-GLASSWASHER with SQUARE BASKET mm. 500x500, max yield of 40 baskets/hour, DIGITAL COMMANDS:**

- **Bodywork made entirely of AISI 304 steel ;**
- **Digital electronic** controls with display,
- **4 wash cycles of 90/120/150/180 seconds ,**
- **Max useful height: plates 350 mm ,**
- **Useful passage for glasses max 320 mm tall ,**
- **LOWER and UPPER stainless steel washing impeller** diameter 18 mm. with molded helical jets,
- **Stainless steel LOWER and UPPER rinse impellers** with **adjustable rotation speed ,**
- **Electric** washing **detergent dispenser** programmable from the display,
- **Electric rinse aid dispenser** programmable from the display,
- Stainless steel washing detergent injector welded onto the tank,
- Filtering group in the tank for suction and discharge,
- Electrical **preparation for drain pump ,**
- **Control system via electronic card** with simple and **extremely efficient Dip-Switch ,**
- **Setting and control of washing and rinsing temperatures ,**
- Adjustable **Thermostop function** which guarantees better results,
- **Display showing temperatures and selected wash cycle ,**
- **Intelligent Start button ,**
- **Self-diagnosis system ,**
- The electronic control allows you to manage various parameters to give you a great level of customization based on your needs while the self-diagnosis allows you to reduce machine downtime to a minimum by already suggesting some simple operations to perform to resolve the situation,
- **Scheduled Maintenance Notice ,**
- Automatic additional rinse cycle,
- **1 Automatic drain cycle** (with drain pump installed),
- Adjustable drain and rinse time,
- Temperature reading via precise NTC probes,
- **Stainless steel washing and rinsing impellers ,**
- **Double detergent and rinse aid dispenser installed as standard ,**
- **Tank capacity 24 litres ,**
- Tank resistance Kw.2.6,
- Boiler capacity 7.3 litres,
- Boiler resistance Kw.2.5,
- 0.52 kW (0.7 Hp) washing pump,
- Recommended water hardness 7÷10 °f,
- Water consumption per cycle at 2 bar: 2.0 lt.

**Supplied:**

- 1 basket for glasses dim.mm.500x500x100h.
- 1 basket 18 plates dim.500x500x100mm.
- 2 cutlery containers.

**Accessories/Options:**

- **17516** - Pressure pump installed 0.5 Hp
- **21116** - 32W installed drain pump.
- **23138** - 0.5 Hp pressure pump kit.
- **22440** - 32W drain pump.
- **18698** - Kit of 4 adjustable stainless steel feet 50-70 mm.
- **19584** - Open base support for dishwashers on adjustable feet, dim. mm. 580x565x450h + Feet H120-190 mm
- **23140** - Hinged door for dishwasher base support Mod.SPI40
- **V230-3** - Optional 230V/3+T

**CE mark****Made in Italy****TECHNICAL CARD**





<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	3,12
<b>gross weight (Kg)</b>	69

breadth (mm) 585

depth (mm) 610

height (mm) 815

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>TCF322-002605</b> 	<b>TECHNOCHEF - Kit 4 adjustable stainless steel feet</b> Kit 4 stainless steel adjustable feet 50-70 mm	<b>€ 31,27</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002604</b> 	<b>TECHNOCHEF - 32W drain pump kit</b> 32 W drain pump kit for glass-fronted and dishwasher front loading, post-sale installation	<b>€ 126,15</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002602</b> 	<b>TECHNOCHEF - Drain pump installed 32W</b> 32 W installed drain pump for glass-fronted and under-the-counter dishwashers	<b>€ 146,75</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002606</b> 	<b>TECHNOCHEF - Swing door for dishwashing base support</b> Swing door for dishwashing base support	<b>€ 146,75</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002603</b> 	<b>TECHNOCHEF - Pressure pump kit 0,5 Hp</b> 0.5 Hp rinsing pressure pump kit, after-sales installation, suitable for glass washers, undercounter dishwashers and canopy	<b>€ 166,82</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002601</b> 	<b>TECHNOCHEF - Pressure pump installed 0.5 HP</b> Rinsing pressure pump installed 0.5 Hp, suitable for glass washers, undercounter dishwashers and canopies	<b>€ 188,45</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days
<b>TCF322-002614</b> 	<b>TECHNOCHEF - Open base support with basket-holding guides</b> Open base support with basket guide rails for Undercounter dishwashers, dim.mm.583x524x566h	<b>€ 185,87</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

TCF322-002607



**TECHNOCHEF - Basic dishwasher support**  
Base day support for dishwasher,  
dim.mm.580x565x450h + Feet H120-190 mm.

**€ 244,05**

VAT excluded  
Shipping to be calculated

Delivery from 4 to 9 days

