



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



| CODE                            | DESCRIPTION  | PRICE/DELIVERY   |
|---------------------------------|--|--|
| <b>FO-G-GE800BT</b>             | Freezer-Freezer Cabinet for ICE CREAM, 1 Door 737 lt, Professional for 54 TRAYS of 5 lt, Temp.-10°/-22°C, Ventilated, ECOLOGICAL in Class D, Gas R290, V.230/1, Kw. 0.7, weight 162 kg, dim.mm.740x990x2010h | <p><b>€ 1.448,03</b><br/> <i>VAT excluded</i><br/> <b>Shipping to be calculated</b><br/> <b>Delivery</b> from 8 to 15 days</p> |
| <b>PROFESSIONAL DESCRIPTION</b> |  |  |

**FREEZER-FREEZER CABINET for PASTRY/ICE CREAM 1 Door, 737 lt, Temp. -10°/-22°C, ECOLOGICAL in Class D - for 57 5 lt trays (330x165x120 mm),**

- **Refrigerated cabinet for pastry laboratories in AISI 30 4 stainless steel ;**
- External bottom and back panels in galvanized sheet metal;
- Bottom with rounded corners;
- **Possibility of containing 54 5 liter trays measuring 330x165x120h mm (6 per shelf);**
- suitable for containing **600x400 and 600x800 mm pastry trays ;**
- Capacity 737 litres;
- **Ventilated refrigeration ;**
- Incorporated group;
- **Engine compartment with insulated sides ;**
- Insulation thickness 60 mm;
- Evaporator positioned hidden in order to have maximum available space;
- Operating temperature -10°/-22°C;
- **Electronic temperature control with digital thermostat ;**
- **ECOLOGICAL** Refrigerating Group with **R290 Gas ;**
- **Energy efficiency class D ;**
- Climate class 4;
- Annual energy consumption 3149 kWh/annum;
- **Automatic defrost with electric resistance and automatic control of the defrost temperature ;**
- **Automatic evaporation of condensation water ;**
- **Electrical resistance around the door frame** to eliminate condensation;
- Anti-corrosion treated evaporator;
- Max ambient temperature / humidity: +32 °C / 55%HR;
- Door with return spring and reversible;
- **Door locking with key ;**
- Door seal removable without tools;
- **Interior light ;**
- **Height-adjustable feet in Aisi 304 stainless steel ;**
- **Internal dimensions 624x846x1396h mm.**

**Supplied :**

- n.10 pairs of guides
- n.10 grids

**CE mark**

**Made in ASIA**

**TECHNICAL CARD**

|                                  |          |
|----------------------------------|----------|
| <b>power supply</b>              | Monofase |
| <b>Volts</b>                     | V 230/1  |
| <b>frequency (Hz)</b>            | 50       |
| <b>motor power capacity (Kw)</b> | 0,7      |
| <b>net weight (Kg)</b>           | 162      |
| <b>gross weight (Kg)</b>         | 188      |
| <b>breadth (mm)</b>              | 740      |
| <b>depth (mm)</b>                | 990      |
| <b>height (mm)</b>               | 2010     |

**TECHNICAL CARD**

| CODE/PICTURES   | DESCRIPTION   | PRICE/DELIVERY  |
|---|---|---|
| <b>FO-GRP68</b><br><br><br><small>800x600 mm plastified grill</small> | <b>Technochef - Plastified grill mm 800x600</b><br>800x600 mm plastic coated grid | <b>€ 14,47</b><br><i>VAT excluded</i><br><b>Shipping to be calculated</b><br><b>Delivery</b> from 4 to 9 days |



**ENERG** Y IJA  
енергия · ενεργεια  
IE IA

**FORCAR**  
REFRIGERATION G-GE800BT

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

**D**

ENERGIA · ЕНЕРГИЯ · ΕΝΕΡΓΕΙΑ  
ENERGIA · ENERGY · ENERGIE  
ENERGI

**2573**  
kWh/annum

1L  
-L

534 L

5  
40°C-40%

2015/1094-IV