



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>EM-MIXER</b>	EUROMATIC VACUUM PACKAGING MACHINE with BENCH HELL, CHAMBER mm.460x500x220h, SEALING BAR of 450 mm, VACUUM PUMP of 20/24 metres/cubic/hour, V.230/1, Kw. 0,90, Weight 68 Kg, dim.mm.560x610x450h	<b>€ 2.423,11</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

PROFESSIONAL DESCRIPTION

**BENCH VACUUM PACKAGING MACHINE, with 450 mm SEALING BAR :**

- **made of stainless steel** ;
- **empty chamber measuring 460x500x220h mm** , made of stainless steel pressed in a single piece with rounded corners for maximum hygiene and ease of cleaning;
- **450 mm sealing bar, removable** ;
- fast welding cycle with adjustable time;
- choice of empty cycle: by time or as a percentage with automatic start when the bell is closed and automatic reopening at the end of the cycle;
- **vacuum pump of 20/24 metres/cubic/hour** ;
- transparent bowl lid with automatic lifting;
- boasts an **extremely detailed electronic board equipped with all the most useful functions to optimize performance** :
- **19 modifiable and customizable programs** ;
- 1 program for marinating meat;
- **double " empty + liquid "** sensor;
- **piston sealing bar** , completely free of wiring for optimal and safe management of tank cleaning;
- **pump self-cleaning/heating system** for optimal management of the packaging machine, with relative reduction of maintenance times and costs;
- **STEPVAC function** for vacuuming liquid products inside traditional vacuum bags;
- **GASTROVAC function** for creating an external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- **function of the reinforced seal** for sealing thick bags and/or bags containing liquid/wet products;
- quick stop/weld;
- carter with 90° opening to facilitate access inside the packaging machine;
- stock filler trays;
- adjustable hinges;
- predisposition for inert gas kit (optional);
- possibility of extra vacuum up to 99.9% for very humid products;


**OPTIONS/ACCESSORIES:**

- possibility of **vacuuming in external containers** or **gastro-norm trays** using the special kit (Cod. EMTUBOGN).
- predisposition for **inert gas kit** (Code EMGAS INERTE).
- **Label Printer** (Code EMST).
- Sealing **Bar with Piston Lifting** (Cod. EMBSP).
- Sealing **bar with excess bag cut** (waste), Cod. EMTS.
- Additional sealing bar (Code EMBS).
- Bell Stop Bar (EMBF).
- **Inclined plane** for liquid packaging (Code EMPI).
- Support Trolley (Code EMCR).

**CE mark****Made in Italy****TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	5060
<b>motor power capacity (Kw)</b>	0,90
<b>net weight (Kg)</b>	68
<b>breadth (mm)</b>	560
<b>depth (mm)</b>	610
<b>height (mm)</b>	450

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>EM-BF</b> 	<b>TECHNOCHEF - Bell holder, Mod.BF</b> Bell stop bar	<b>€ 24,99</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



**EM-PI**

**Inclined plane, Mod.PI**  
Inclined surface for liquid packaging, suitable for bell-shaped packaging machines

**€ 85,74**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**EM-TUBOGN**

**Tube with adapter sleeve in gastro containers**  
Tube with adapter sleeve in gastro containers

**€ 102,01**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery**



**EM-BS**

**TECHNOCHEF - Additional sealing bar, Mod.BS**  
Additional sealing bar

**€ 270,19**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**EM-GSR**

**Gas inert, Mod.GSR**  
Inert gas kit for chamber vacuum machines

**€ 242,57**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**EM-CR**

**Machine Support Trolley, Mod.CR**  
Support trolley

**€ 282,20**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days




**EM-ST**

**TECHNOCHEF - Label printer, ST mod**  
Label printer for bell packaging machines

**€ 363,26**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days




**STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA**  
**STANDARD FUNCTION ONLY FOR CHAMBER MACHINES**



Pannello multifunzione digit  
 Multifunction digit panel



Sistema autopulizia olio  
 Oil made auto-cleaning system



Pannello comandi a totale tenuta contro umidità  
 Waterproof control Panel



Carter apribile a 90°  
 90° openable carter



Saldatura con pistoni senza cavi  
 Sealing with cableless pistons



Vasca inox con angoli stondati senza saldature  
 Entirely ground stainless steel vacuum chamber, with internal round corners



Connessione per attacco gastrovac  
 Connection for the gastrovac system



Set tavole di riempimento in polietilene  
 Polyethylene filling squares set



Soft vacuum elettronico  
 Electronic soft vacuum



Saldatura con pistoni senza cavi / Cableless sealing with pistons





**OPTIONAL PER CONFEZIONATRICI A CAMPANA**  
**OPTIONALS ONLY FOR CHAMBER MACHINES**



Installazione gas inerte  
Arrangement for idle gas



Installazione stampante  
Printer installation



Pompa Busch  
Busch Pump



Sensore di vuoto  
Vacuum sensor



Barra sigillante aggiuntiva  
Extra Sealing Bar



Taglio Eccedenza  
Exceeding cutting bar



Vecchia doppia altezza per  
confezionamento liquidi (BASICI)  
Special double height vacuum chamber  
to pack liquids (BASICI)



Sistema bloccaggio campana  
Lid Hook



Carrello supporto macchina  
Charrist on wheels



Piano inclinato per liquidi  
Inclined plane for liquids



Tensione e frequenza speciale  
Voltage and speciale frequency