



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
EM-MIXERDUO	EUROMATIC VACUUM PACKAGING MACHINE with PROFESSIONAL BENCH HELL, CHAMBER mm.500x460x220h, 2 SEALING BARS of 450 mm, VACUUM PUMP of 20/24 metres/cubic/hour, V.230/1, Kw. 0,95, Weight 70 Kg, dim.mm.600x560x450h	€ 2.495,16 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

BENCH VACUUM PACKAGING MACHINE, with 2 SEALING BARS of 450 mm :

- **made of stainless steel ;**
- **empty chamber mm 500x460x220h**, made of stainless steel pressed in one piece with rounded corners for maximum hygiene and ease of cleaning;
- **2 sealing bars of 450 mm, removable ;**
- **rapid welding cycle with adjustable time ;**
- choice of empty cycle: by time or as a percentage with automatic start when the bell is closed and automatic reopening at the end of the cycle;
- **vacuum pump of 25 metres/cubic/hour ;**
- transparent bowl lid with automatic lifting;
- boasts an **extremely detailed electronic board equipped with all the most useful functions to optimize performance :**
- **19 modifiable and customizable programs ;**
- 1 program for marinating meat;
- **double “ empty + liquid ” sensor;**
- **piston sealing bar** , completely free of wiring for optimal and safe management of tank cleaning;
- pump self-cleaning/heating system for optimal management of the packaging machine, with relative reduction of maintenance times and costs;
- **STEPVAC function** for vacuuming liquid products inside traditional vacuum bags
- **GASTROVAC function** for creating an external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- **function of the reinforced seal** for sealing thick bags and/or bags containing liquid/wet products;
- **fast stop/weld ;**
- carter with 90° opening to facilitate access inside the
- packaging machine;
- stock filler trays;
- adjustable hinges;
- predisposition for inert gas kit (optional);
- possibility of extra vacuum up to 99.9% for very humid products.

OPTIONS/ACCESSORIES:


- possibility of **vacuuming in external containers** or **gastro-norm trays** using the special kit (Cod. EMTUBOGN).
- predisposition for **inert gas kit** (Code EMGAS INERTE).
- **Label Printer** (Code EMST).
- Sealing **Bar with Piston Lifting** (Cod. EMBSP).
- Sealing **bar with excess bag cut** (waste), Cod. EMTS.
- Bell Stop Bar (EMBF).
- **Inclined plane** for liquid packaging (Code EMPI).
- Support Trolley (Code EMCR).

CE mark
MADE IN ITALY

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	5060
motor power capacity (Kw)	0,95
net weight (Kg)	70
breadth (mm)	600
depth (mm)	560
height (mm)	450

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
EM-BF 	TECHNOCHEF - Bell holder, Mod.BF Bell stop bar	€ 24,99 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days



EM-PI

Inclined plane, Mod.PI
Inclined surface for liquid packaging, suitable for bell-shaped packaging machines

€ 85,74
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-TUBOGN

Tube with adapter sleeve in gastro containers
Tube with adapter sleeve in gastro containers

€ 102,01
VAT excluded
Shipping to be calculated
Delivery



EM-GSR

Gas inert, Mod.GSR
Inert gas kit for chamber vacuum machines

€ 242,57
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-CR

Machine Support Trolley, Mod.CR
Support trolley

€ 282,20
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days



EM-ST

TECHNOCHEF - Label printer, ST mod
Label printer for bell packaging machines

€ 363,26
VAT excluded
Shipping to be calculated
Delivery from 4 to 9 days




STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA
STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



Pannello multifunzione digit
Multifunction digit panel



Sistema autopulizia olio
Oil made auto-cleaning system



Pannello comandi a totale tenuta contro umidità
Waterproof control Panel



Carter apribile a 90°
90° openable carter



Saldatura con pistoni senza cavi
Sealing with cableless pistons



Vasca inox con angoli stondati senza saldature
Extremely grinded stainless steel vacuum chamber, with internal round corners



Connessione per attacco gastrovac
Connection for the gastrovac system



Set tavole di riempimento in polietilene
Polyethylene filling squares set



Soft vacuum elettronico
Electronic soft vacuum



Saldatura con pistoni senza cavi / Cableless sealing with pistons





OPTIONAL PER CONFEZIONATRICI A CAMPANA
OPTIONALS ONLY FOR CHAMBER MACHINES



Installazione gas inerte
Arrangement for idle gas



Installazione stampante
Printer installation



Pompa Busch
Busch Pump



Sensore di vuoto
Vacuum sensor



Barra sigillante aggiuntiva
Extra Sealing Bar



Taglio Eccedenza
Exceeding cutting bar



Vecchia doppia altezza per
confezionamento liquidi (BASICI)
Special double height vacuum chamber
to pack liquids (BASICI)



Sistema bloccaggio campana
Lid Hook



Carrello supporto macchina
Charrist on wheels



Piano inclinato per liquidi
Inclined plane for liquids



Tensione e frequenza speciale
Voltage and speciale frequency