

TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



TCF091-ARM060

Sanitizing cabinet with 1 door ozone generator, capacity
700 lt, V.230/1, Watt 65, dimensions mm
720x800x2020h

PRICE/DELIVERY

€ 1.037,54

VAT escluded
Shipping to be calculed

Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

NEUTRAL SANITIZING CABINET with OZONE GENERATOR, 1 Door, 700 lt:

- Cabinet for SANITIZING, DEODORIZING fruit, vegetables, kitchen utensils, work utensils, office objects, clothing, shoes, personal linen, bedroom linen, objects in general;
- Operation with sensor, when the door is closed the sanitization cycle begins which must be confirmed by the user;
- If confirmed, an orange LED lights up and remains for the entire duration of the cycle, including the Ozone degradation time;
- The green LED when lit indicates that the system is powered;
- The program is preset fixed in three phases :
 - Ozone creation phase (3 Min.);
 - Reaction phase Ozone (15 Min.);
 - Ozone decay phase (30 Min. *) (* The time may vary depending on: products, contamination, humidity, quantity)
- If the door is opened during sanitisation, the cycle stops immediately. The closure is hermetically guaranteed by a perimeter gasket;
- If it is used more than once a day, especially in narrow and unventilated environments, on request as an optional, the cabinet can be equipped
 with an extractor that allows the gases to escape to a centralized filtering system, otherwise opt for the installation of an internal recirculating
 catalyst system;
- o The cabinet should never be opened until the cycle is finished,
- The SANITIZING cabinet also boasts the following features :
 - high-tech ozone generator,
 - body entirely insulated in polyurethane thickness from 40 to 50 mm ,
 - · automatic door closing with magnetic seal to ensure that the internal compartment is airtight, a necessary condition for safety,
 - o possibility of removing odors and sanitizing;
- Product that could be included in the TAX CREDIT (DL 23/2020) defined at 50% of sanitization costs up to a maximum of 20,000 euros (waiting for officialisation);
- The cabinets are not supplied with plugs;
- o On request, possibility of external coloring White or Black Optional .

TECHNICAL DATA:

- Capacity 700 litres
- o Grids n.3
- Power consumption 65 W
- o Dimensions mm (WxDxH) 720x800x2020h

Accessories/Options:

- · Activated carbon filter system for intensive use
- o Activated carbon replacement filter, lasts 6 months
- o Stainless steel slotted surface mm. 470x490
- o External white or black color surcharge

CE MARK

MADE IN ITALY	
TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,065
breadth (mm)	720
depth (mm)	800
height (mm)	2020

