



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>EM-MASTER2</b>	PROFESSIONAL BELL VACUUM PACKAGING MACHINE EUROMATIC on CABINET with WHEELS, CHAMBER mm.560x460x220H, 2 WELDING BARS 450 mm, VACUUM PUMP 25 meters / cubic / hour, V.230 / 1, Kw. 1.00, Weight 110 Kg, dim.mm. 680x570x1050h	<b>€ 2.955,95</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

PROFESSIONAL DESCRIPTION

## BELL VACUUM PACKAGING MACHINE on CABINET with WHEELS, with 2 WELDING BARS 450 mm :

- **made of stainless steel** ;
- **vacuum chamber 560x460x220h mm** , made of stainless steel molded in a single piece with rounded corners for maximum hygiene and easy cleaning;
- **2 extractable 450 mm sealing bars** ;
- **vacuum pump of 25 meters / cubic / hour** ;
- **19 editable and customizable programs**;
- **1 program for marinating meat** ;
- double sensor "empty + liquids";
- **piston sealing bar**, completely devoid of wiring for optimal and safe management of tank cleaning;
- **self-cleaning / heating system of the pump** for optimal management of the packaging machine, with relative reduction of maintenance times and costs;
- **STEPVAC function** for creating the vacuum of liquid products inside traditional vacuum bags;
- **GASTROVAC function** for creating external vacuum in GN containers;
- **EXTRAVAC function** , which offers a second vacuum phase lasting 5 seconds (particularly suitable for minced and boned meat);
- reinforced sealing function for sealing thick bags and / or bags containing liquid / wet products;
- quick stop / weld;
- carter with 90 ° opening to facilitate access to the inside of the packaging machine;
- standard filling platforms;
- adjustable hinges;
- empty cycle at choice: by time or by percentage with automatic start at closing of the bell and automatic reopening at the end of the cycle;
- transparent tank lid with automatic lifting;
- possibility of extra vacuum up to 99.9% for very humid products;
- **Step Vac** for emulsifiable products (vacuum cycle in stages).

### ACCESSORIES / OPTIONALS:


- possibility of vacuuming in external containers or Gastro-Norm basins by means of a special kit - Code EMATUBOGN.
- predisposition for inert gas kit - Code EMGASINERTE.
- label printer - Code EMST.
- vacuum sensor in the chamber - Code EMSV.
- sealing bar with piston lifting - Code EMBSP.
- sealing bar with envelope excess cut (scrap) - Code EMTSU.
- additional sealing bar - Code EMBS.
- bell stop bar - Code EMBF.
- inclined plane for liquid packaging - Code EMPI.

**CE mark**  
**Made in Italy**

### TECHNICAL CARD

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	5060
<b>motor power capacity (Kw)</b>	1,0
<b>net weight (Kg)</b>	110
<b>breadth (mm)</b>	680
<b>depth (mm)</b>	570
<b>height (mm)</b>	1050

### TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>EM-BF</b> 	<b>TECHNOCHEF - Bell holder, Mod.BF</b> Bell stop bar	<b>€ 24,99</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days



**EM-PI**

**Inclined plane, Mod.PI**  
Inclined surface for liquid packaging, suitable for bell-shaped packaging machines

**€ 85,74**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**EM-TUBOGN**

**Tube with adapter sleeve in gastro containers**  
Tube with adapter sleeve in gastro containers

**€ 102,01**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery**



**EM-BS**

**TECHNOCHEF - Additional sealing bar, Mod.BS**  
Additional sealing bar

**€ 270,19**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**EM-GASINERTEURANO**



**TECHNOCHEF - Inert gas, Mod. GASINERTE**  
Inert gas kit for vacuum chamber machines

**€ 288,20**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days



**EM-ST**


**TECHNOCHEF - Label printer, ST mod**  
Label printer for bell packaging machines

**€ 363,26**  
*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

DISPOSIZIONE BARRE SALDANTI  
SEALING BARS POSITION

MASTER 2



TECHNO CHEF.IT

**PANNELLO COMANDI  
CONTROL PANEL**

- Accensione/peginamento confezionatrice  
Attivazione funzione VAC STOP. Interruzione anticipata del ciclo di vuoto  
*Packing machine's switch on/switch off Activation of VAC STOP FUNCTION (stop in advance the vacuum cycle) if you push the button twice*
- Funzione per vuoto in contenitori gastronomici  
*Vacuum system for gastro containers*
- Funzione per prodotti facilmente emulsionabili (es. Maionese)  
*Easily emulsifiable products' function (i.e. mayonnaise)*
- Attivazione funzione ciclo gas  
*Activation function of the gas intake*
- Regolazione livelli Vuoto/Gas/Saldatura  
*Level setting for Vacuum/Gas/Sealing*
- Ciclo vuoto rapido  
*Fast vacuum cycle*
- Preiscaldamento pompa del vuoto  
*Vacuum pump's preheating*
- Tempo di saldatura  
*Sealing time*
- % di vuoto  
*Vacuum percentage*
- +5 secondi di vuoto rispetto al programma impostato  
*5 seconds of vacuum more than the established program settings*
- Tempo di immissione gas  
*Gas intake time*
- Rientro dell'aria in camera soft e graduale  
*Gradual intake of air into the chamber*
- Ciclo vuoto standard  
*Standard vacuum cycle*
- Definizione programma da memorizzare  
*Vacuum programs' setting*
- Sistema auto-pulizia olio pompa  
*Oil pump's auto-cleaning system*




## STANDARD FUNCTIONS PER CONFEZIONATRICI A CAMPANA

STANDARD FUNCTION ONLY FOR CHAMBER MACHINES



Pannello multifunzione digit - 10 PRG  
Multifunction digit panel - 10 PRG



Sistema autopulizia olio  
Oil made auto cleaning system



Pannello comandi a totale tenuta  
contro umidità  
Waterproof control Panel



Soft vacuum elettronico  
Electronic soft vacuum



Vasca inox con angoli stondati  
senza saldature  
Entirely printed stainless steel  
vacuum chamber, with internal  
round corners



Connessione per attacco gastrovac  
Connection for the gastrovac system



Set tavole di riempimento in  
polietilene  
Polyethylene filling squares set



## OPTIONAL PER CONFEZIONATRICI A CAMPANA

OPTIONALS ONLY FOR CHAMBER MACHINES



Installazione gas inerte  
Arrangement for life gas



Installazione stampante  
Printer installation



Pompa Busch  
Busch Pump



Saldatura con pistoni senza cavi  
Sealing with cableless pistons



Barra sigillante aggiuntiva  
Extra Sealing Bar



Taglio Eccedenza  
Exceeding cutting bar



Sensore di vuoto  
Vacuum sensor



Sistema bloccaggio campana  
Lid Hook



Altezza camera maggiorata  
Increased chamber height



Piano inclinato per liquidi  
Inclined plane for liquids



Tensione e frequenza speciale  
Voltage and special frequency