



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FO-G-SNACK2200TN	2 DOOR Refrigerated Counter Table with upstand and neutral drawer, Professional, SNACK Line, temp.-2°/+8°C, capacity 228 litres, ventilated refrigeration, ECOLOGICAL in Class B, Gas R290, V.230/1, Kw. 0.26, weight 97 kg, dim.mm.1360x600x860/960h	€ 960,77 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

2 DOOR REFRIGERATED TABLE with BACKPACK and NEUTRAL DRAWER , SNACK line, 228 liter capacity , temperature -2°C /+8°C, ECOLOGICAL in Class B :

- **AISI 304 stainless steel structure ;**
- bottom with rounded corners;
- **stainless steel backrest** , possibility of leaning against the wall;
- **ventilated refrigeration ;**
- capacity 228 litres;
- **built-in refrigeration unit removable** for easy maintenance;
- **circular flow of the cold air** so as not to directly touch the product;
- operating temperature -2°/+8°C;
- **electronic temperature control with digital thermostat ;**
- electrical resistance around the door frame for elimination of condensation;
- **automatic defrost** with electric resistance and **automatic temperature control defrost temperature ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- **ECOLOGICAL Refrigerating Group with R290 Gas ;**
- **Energy class B ;**
- maximum ambient temperature: +32°C;
- maximum temperature humidity: 55% HR;
- **insulation thickness 60 mm ;**
- door with return spring;
- door seal removable without tools;
- **feet in AISI 304 stainless steel, adjustable in height;**
- internal dimensions 902x430x589h mm;
- external dimensions mm 1360x600x860/960h.

Supplied:

- n.2 grids, dim.330x430mm
- n.4 guides

Options/Accessories :

- chest of drawers with 2 drawers;
- chest of drawers with 3 drawers;
- pair of guides for grid support;
- plasticized grid;
- kit of 4 wheels diameter 120 mm, 2 of which with brake.

NOTE:

IT IS RECOMMENDED TO INSTALL ONLY THE CHEST OF DRAWERS WITH 2 DRAWERS IN THE COMPARTMENT NEAR THE REFRIGERATING UNIT , so as not to obstruct the circulation of the cold.

**CE MARK
MADE IN ASIA**

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,26
net weight (Kg)	97
gross weight (Kg)	127
breadth (mm)	1360
depth (mm)	600
height (mm)	960

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
---------------	-------------	----------------



Forcar - Plastic coated grill
Plastic coated grid, size 330x430mm.

€ 8,67
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



Forcar - Pair of grille guides
Pair of guides for grid support.

€ 11,56
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



Forcar - 4 wheels kit, 2 with brake
4 wheels kit with 120 mm diameter, 2 of which with brake.

€ 78,62
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



Forcar - Chest of drawers with 2 drawers
Chest of drawers with 2 drawers for SNACK model

€ 341,36
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



Forcar - Chest of 3 drawers
Chest of 3 drawers for SNACK model

€ 509,29
VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days





ENERG Y U/A
energia · ενεργεια
IE IA

FORCAR G-SNACK2200T
REFRIGERATION N

A+++
A++
A+
A
B
C
D
E
F
G

B

ENERGIA · ΕΝΕΡΓΙΑ · ENERGIA
ENERGIA · ENERGY · ENERGIE
ENERGI

580
kWh/annum

1L
155 L

- L

5
40°C-40%

2015/1094-IV

TECHNOCHEF.IT