



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FC-G-GN1200TN-FC	2 Door Refrigerator Cabinet, Professional, lt.1104, Temp.+2°/+8°C, with fan and internal air conveyor, ECOLOGICAL in Class D, Gas R290, Gastronorm 2/1, V.230/1, Kw.0,415, Weight 163 Kg, dim.mm.1340x810x2010h	€ 1.225,05 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

2-door REFRIGERATOR CABINET, capacity 1104 litres, Temp. +2°/+8°C, ECOLOGICAL in Class D :

- **Made of stainless steel ;**
- Bottom with rounded corners;
- External bottom and back panels in galvanized sheet metal;
- Group incorporated in upper compartment;
- Engine compartment with insulated sides;
- Capacity 1104 litres;
- Suitable for containing **Gastronorm 2/1 grills** or containers (650x530 mm);
- **Electronic temperature control with digital thermostat ;**
- Operating temperature +2°/+8°C;
- **Refrigeration with fan and internal air conveyor to uniform the temperature ;**
- Off-cycle defrost type;
- Electrical resistance around the door frame to eliminate condensation
- Elimination of condensation water using a basin;
- **ECOLOGICAL gas R290 ;**
- Maximum ambient temperature: +35°C;
- Maximum ambient humidity: 50% HR;
- **Insulation thickness 60 mm ;**
- Door with return spring and reversible;
- Door locking with key;
- Door seal removable without tools;
- Height-adjustable stainless steel feet;
- Internal dimensions 1220x680x1390h mm;
- External dimensions 1340x810x2010h mm.

Supplied :

- n.6 GN 2/1 grills
- n.6 pairs of guides

Accessories/Options :

- Pair of grill guides
- Plasticized grill
- Kit of 4 wheels, 2 of which have brakes



CE MARK

Made in Asia

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,415
net weight (Kg)	163
gross weight (Kg)	177
breadth (mm)	1340
depth (mm)	810
height (mm)	2010

TECHNICAL CARD

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p>FC-GRP21-FC</p> 	<p>Forcold - Plastic coated grid Plastic coated grid</p>	<p>€ 20,04 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days</p>
<p>FC-CG21</p> 	<p>Forcold - Pair of Guides Pair of guides for grille</p>	<p>€ 25,77 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days</p>

FC-RU0120




Forcold - 4 wheels kit, 2 with brake
4 wheels kit with 120 mm diameter, 2 of which with brake.

€ 78,62

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days



TECHNO CHEF

ENERGY
енергия · ενεργεια
IE IA

FORCOLD G-GN1200TN-FC

A+++
A++
A+
A
B
C
D
E
F
G

ENERGIA · ЕНЕРГИЯ · ENERGIA
ENERGIA · ENERGY · ENERGIE
ENERGI

1454
kWh/annum

845 L

- L

4
30°C-55%

2015/1094-IV