



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

Electric OVEN for PIZZA Cuppone MICHELANGELO Line, 6 Pizzas x ø35 cm, Modular Modular, Available with DIGITAL controls or TOUCH SCREEN controls,

- **Rounded** stainless steel **front**;
- **Cooking chamber in stainless steel** dim. 720x1080x140 mm;
- **Cordierite brick** hob;
- Evaporated rock wool insulation;
- **Door with double** panoramic glass and opening and closing system with compression spring;
- Heat seal between door and cooking chamber;
- Integrated **heat recovery system** in the cooking chamber;
- Cooking chamber lighting with two 12V lamps;
- **Safety thermostat** and cooling fan;
- Armored and differentiated electric resistances on the ceiling and under the stalls
- **Electronically adjustable** cooking **steam vent** ;
- **Separate command group** ;
-
- **Pizza capacity:** 6 x ø35 cm
- Rooms: 1
- Power: 8.4 kW
- **Temperature: 0-400 ° C**
- Gross weight Kg: 202

Cooking chamber dimensions 720x1080x140h mm

External dimensions 1190x1460x440h mm

-
- All models **can be supplied with a support** (with or without wheels and, with the exception of the 435 model, with or without a cut for inserting the mixer) **and with an extraction hood** (with or without 5-speed motor).

VERSION WITH **DIGITAL CONTROLS** / Mod: **ML635 / 1CD**

- Control system with **electronic card** ;
- possibility to **set the chamber temperature and the power** of the **resistance groups (top and floor) in different ways** : "OFF" off, "MIN" 33% or "MAX" 100%;
- **end of cooking buzzer** ;
- **programmable oven ignition** with countdown **up to 99 hours** ;

VERSION WITH **TOUCH SCREEN CONTROLS** / Mod: **ML635 / 1TS**

- **Touch Screen control system** with the possibility of **setting the** chamber **temperature and** the **power** of the two groups of **resistances (top and floor) in a differentiated way** from 0% to 100%;
- **PYROLYSIS, ECONOMY and FAST RECOVERY** functions integrated;
- **cooking programming** ;
- **Horn end of cooking**;
- **weekly timer** + agenda ;

Optional:

- **CP-KM635NT** - Hood Without Motor;
- **CP-KM635AS** - Hood with Motor;
- **CP-SML635 / 1** - Basic support for 1 CAMERA;
- **CP-SML635 / 2** - Base support for 2 ROOMS;
- **CP-RS** - Wheels Kit for Base Support;
- **CP-PS** - Cut on Lower Shelf Support for inserting mixers;

Made in Italy
CE MARK

TECHNICAL CARD

power supply Monofase

Volts V 400/3 +N

frequency (Hz) 50/60

motor power capacity (Kw) 8,4

net weight (Kg)	179
gross weight (Kg)	202
breadth (mm)	1190
depth (mm)	1460
height (mm)	440

AVAILABLE MODELS

CUP-ML635/1CD



CUPPONE MICHELANGELO Electric Oven for 6 Pizzas, Ø 35 cm. Digital commands

Electric Pizza OVEN, for 6 Pizzas, modular modular with chamber mm 720x1080x140h, Version with DIGITAL CONTROLS, MICHELANGELO Line, V. 380/3 + N, Kw 8.4, Weight 202 kg, dim. mm. 1190x1460x440h

€ 4.260,54

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

CUP-ML635/1TS



CUPPONE MICHELANGELO Electric Oven for 6 Pizzas, Ø 35 cm. Touch Screen Controls

Electric Pizza OVEN, for 6 Pizzas, modular modular with chamber mm 720x1080x140h, Version with TOUCH SCREEN CONTROLS, MICHELANGELO Line, V. 380/3 + N, Kw 8,4, Weight 202 kg, dim. mm. 1190x1460x440h

€ 5.060,16

VAT excluded
Shipping to be calculated

Delivery from 8 to 15 days

TECHNICAL CARD

CODE/PICTURES

DESCRIPTION

PRICE/DELIVERY

CP-PS



Cut on the lower shelf for inserting the mixers

Cut on Lower Shelf Support for Mixer Insertion

€ 236,48

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

CP-RS



Wheels Kit for Base Support

Modular 4 wheels kit with pedestal for Cuppone professional pizza oven

€ 426,35

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

CP-SML635/1



Steel Base Support for 1 Camera

Pedestal for Oven Cuppone Michelangelo, for 1 Chamber, Steel Structure, Low standard shelf, Optional Wheels, Weight 57 kg, Dim. Mm. 1180x1310x1100h

€ 704,60

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

CP-SML635/2



Steel Base Support for 2 Chambers

Pedestal for Oven Cuppone Michelangelo, for 2 Chambers, Steel Structure, Low standard shelf, Optional Wheels, Weight 53 kg, Dim. Mm. 1180x1310x900h

€ 704,60

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

CP-KML635NT



Hood without motor for Michelangelo oven

Neutral Hood for Michelangelo Oven, Stainless Steel, Without Motor, Weight 57 kg, dim. mm. 1188x1200x410

€ 1.237,18

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days

CP-KML635AS



Hood with Motor for Michelangelo Oven

Extractor Hood for Michelangelo Oven, Stainless Steel, Adjustable Speed, Kw 0.13, 700 m3 / h, Weight 60 kg, dim. mm. 1188x1200x410

€ 1.533,38

VAT excluded
Shipping to be calculated

Delivery from 4 to 9 days





VERSIONE CON COMANDI DIGITALI
Mod: ML635/1CD

- Sistema di controllo con scheda elettronica;
- possibilità di impostare la temperatura della camera e la potenza dei gruppi di resistenze (cielo e platea) in maniera differenziata: "OFF" spento, "MIN" 33% o "MAX" 100%;
- avvisatore acustico di fine cottura;
- accensione del forno programmabile con conto alla rovescia fino a 99 ore;



VERSIONE CON TOUCH SCREEN
Mod: ML635/1TS

- sistema di controllo Touch Screen con possibilità di impostare la temperatura della camera e la potenza dei due gruppi di resistenze (cielo e platea) in maniera differenziata da 0% a 100% ;
- funzioni PIROLISI, ECONOMY e RECUPERO VELOCE integrate;
- programmazione cotture;
- avvisatore acustico di fine cottura;
- timer settimanale + agenda;