

## TECNOSERVICE'21 srl

by Tinti Sergio Via Carlo Pisacane, 134 61032 Fano (PU) Italy P.IVA IT0200411413 Tel. +39 0721 805911 FAX +39 0721 809794 e-mail: staff@technochef.it www.technochef.it www.technochef.eu

Services and Technologies for professional catering since 1973



CODE DESCRIPTION PRICE/DELIVERY

TCF18-STGMEAT1500INOX

Everlasting - Meat maturation-maturing cabinet in 304 STAINLESS STEEL, 2 DOORS, Gas R 452a, Temp. - 2°/+10° C, Capacity 300 Kg, Dim. mm 1500x850x2080h

€ 7.427,62

VAT escluded

Shipping to be calculed

**Delivery** from 4 to 9 days

PROFESSIONAL DESCRIPTION

MEAT MATURATION CABINET, 2 DOORS, IN STAINLESS STEEL, TEMPERATURE -2°/+10°C, CAPACITY Kg. 300, DIM. 150x85x208h cm: STEEL structure with 2 DOORS; • Internal and external structure in AISI 304 stainless steel with Scotch Brite finishes o Interior with rounded corners and printed bottom; • Racks, grills and guides in AISI 304 stainless steel; • Height-adjustable stainless steel feet (130/200 mm) • UV-C **germicidal lamp** as standard; • Internal lighting with K6500 LED bars;  $\circ~$  Self-closing doors with 105° stop with easily replaceable magnetic seals and key lock; 0  $\circ$  Operating temperature -2°/+10°C Active humidity regulation from 40% to 90% • It does not require connection to the water mains; o Insulation thickness 75 mm; • Ventilated refrigeration with cataphoresis-treated evaporator; • ECOLOGICAL GAS refrigerant R452A;  ${\color{blue} \bullet} \ \ {\color{blue} \textbf{Automatic evaporation}} \ \ {\color{blue} \text{of condensation water with self-regulating electrical resistance;}} \\$ • Automatic defrost with electric resistance; • Wi-Fi connection for remote viewing and control; · USB device for software update; • MEAT Touch electronic control panel with 4.3" touch screen display; • N. 3 preset recipes , programmable up to 4 distinct phases for each recipe; • N. 10 fully customizable recipes that can be stored on the instrument; • Constant display of internal temperature and humidity;  $\circ~$  Clock and date display (RTC) and Multilingual Menu ; • **Power supply** : 230/1/50 Hz

Power supply: 230/1/50 Hz
 Dimensions mm . 1500x850x2080h

Weight: 193 kgCapacity Kg. 300

Meat hook as standard, max capacity 80 kg;

 $\textbf{Supplied with}: meat \ hook \ with \ 2 \ hooks \ + \ 3 \ stainless \ steel \ grids;$ 

CE MARK Made in Italy

-	
TECHNICAL CARD	
power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,7
net weight (Kg)	193
gross weight (Kg)	205
breadth (mm)	1500
depth (mm)	850
height (mm)	2080