




TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
TCF18-STGMEAT700PANORAMA	Everlasting - Stainless Steel Meat Maturation-Maturation Cabinet, 1 GLASS DOOR, Gas R 452a, Temp. +0°/+10° C, Capacity 150 Kg, Dim. mm 750x850x2080h	€ 6.328,75 <i>VAT excluded</i> Shipping to be calculated Delivery from 4 to 9 days

PROFESSIONAL DESCRIPTION

MEAT MATURATION CABINET, 1 DOOR WITH GLASS FRONT AND BACK, IN STAINLESS STEEL, TEMPERATURE +0°/+10°C, CAPACITY Kg. 150, DIM. 75x85x208h cm:

- Internal and external structure in **AISI 304 stainless steel**;
- **Wide internal visibility** thanks to the **windows on the door and on the back** of the wardrobe;
- Interior with rounded corners and printed bottom;
- Racks, grills and guides in AISI 304 stainless steel;
- Height-adjustable **stainless steel feet** (130/200 mm)
-
- Manual or timed **UV-C germicidal lamp** ;
- Internal lighting with K6500 LED bars;
- Self-closing doors with 105° stop with easily replaceable magnetic seals and key lock;
-
-
- **Operating temperature** +0°/+10°C
- **Active humidity regulation** from 40% to 90%
- Insulation thickness 75 mm;
- It does not require connection to the water mains;
- **Ventilated refrigeration** with cataphoresis-treated evaporator;
- **ECOLOGICAL GAS** refrigerant **R452A**;
- **Automatic evaporation** of condensation water with self-regulating electrical resistance;
- **Automatic defrost** with electric resistance;
-
-
- **Wi-Fi connection** for remote viewing and control;
- USB device for software update;
- MEAT Touch **electronic control panel** with 4.3" **touch screen display** ;
- **N. 3 preset recipes** , programmable up to 4 distinct phases for each recipe;
- **N. 10 fully customizable recipes** that can be stored on the instrument;
- Constant display of internal temperature and humidity;
- Clock and date display (RTC) and **Multilingual Menu** ;
-
-
- **Power supply** : 230/1/50 Hz
- **External dimensions mm** . 750x850x2080h
- Weight: 196 kg
- **Capacity** Kg. 150

Supplied with : 3 pairs of stainless steel guides, 1 meat hook, 2 meat hooks, 3 stainless steel grids

CE MARK
Made in Italy

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	1,0
net weight (Kg)	196
gross weight (Kg)	208
breadth (mm)	750
depth (mm)	850
height (mm)	2080