




TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ICE MAKER IN FULL CUBES, Yield 22-24 Kg / 24 hours, 6 Kg internal storage, available with Air or Water Cooled Cooling Group:

- **structure** in AISI 304 stainless steel ;
- **storage capacity** 6 Kg ;
- **production Kg / 24h** : 22 Kg for the Air model , 24 Kg for the Water model ;
- **air** or **water** cooling;
- **spray ice production system** ;
- **cube Series** : S - 14 gr ;
- cube dimensions (LxWxH): 36x26x23 mm;
- **Electromechanical controls** : The machine is controlled by timer and thermostat. Simple, easy to understand and maintain. High reliability and low cost of spare parts;
- **electronic** control: total control of the machine by means of an electronic card
 - optimized and flexible for each machine.
 - management and reporting of alarms.
 - optimization of the cubes output.
- **Injection system** with special semi-elastic injectors designed and patented by ICE TECH to prevent the formation of limescale;
- external On / Off switch;
- **tropicalized compressor** Class T, Air temperature: 5 - 40°C, Water temperature: 5 - 35°C, Pressure: 0,7 - 6 bar, Kg / 24h at ambient temperature 15°C, Water temperature 10°C;
- **Refrigerant Gas R290** : Natural gas R290 with low global warming potential (GWP) which reduces energy consumption;
- water inlet connection: 3/4 "- Exhaust gas connection: 20 mm;
- Ice maker **designed for the Bar, Restaurant, Pub, Hotel**. Suitable for producing compact "Gourmet" cubes weighing 14 g, the most desired by professionals and consumers, particularly **suitable for drinks and liqueurs** . Thanks to the resistant formula, the cube will take longer to melt, so that the customer can enjoy his drink for longer;
- **the deposit is well insulated with injected polyurethane foam** , for the best containment of the ice produced, without the risk of melting;
- All parts in contact with water have been designed to minimize their friction and to ensure maximum surface tension, significantly reducing the sound level.

CE mark
Made in EUROPE

TECHNICAL CARD

power supply | Monofase

Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,36
net weight (Kg)	32
gross weight (Kg)	36
breadth (mm)	350
depth (mm)	475
height (mm)	595

AVAILABLE MODELS

ICT-SS25/A



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 22 Kg / 24 hours, STORAGE 6 Kg, AIR Cooled, mod.SS25 / A

Full ice cube machine, yield 22 Kg / 24 hours, 6 Kg storage, stainless steel exterior, air cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h

€ 680,47

VAT excluded
Shipping to be calculated

Delivery from 15 to 25 days

ICT-SS25/W



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 24 Kg / 24 hours, STORAGE 6 Kg, WATER-COOLED, mod.SS25 / W

Full ice cubes machine, yield 24 Kg / 24 hours, 6 Kg storage, stainless steel exterior, water cooling, Gas R290, V.230 / 1, Kw.0.36, weight Kg.32, dim.mm.350x475x595h


€ 680,47

VAT excluded
Shipping to be calculated

Delivery from 15 to 25 days



S | 14 gr



Solo modello SS25

TECHNOCHEF.IT

