



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ICE MAKER IN FULL CUBES, Yield 32-34 Kg / 24 hours, 15 Kg internal storage, available with Air or Water Cooled Cooling Group:

- **structure** in **AISI 304 stainless steel** ;
- **storage capacity 15 Kg** ;
- **production Kg / 24h** : **32 Kg for the Air model** , **34 Kg for the Water model** ;
- **air** or **water** cooling;
- **spray ice production system** ;
- **Series cube** : **M - 22 gr** ;
- cube dimensions: \varnothing 39 x 35 mm;
- **Electromechanical controls** : The machine is controlled by timer and thermostat. Simple, easy to understand and maintain. High reliability and low cost of spare parts;
- **electronic** control: total control of the machine by means of an electronic card
 - optimized and flexible for each machine.
 - management and reporting of alarms.
 - optimization of cubes output.
- **Injection system** with special semi-elastic injectors designed and patented by ICE TECH to prevent the formation of limescale;
- external On / Off switch;
- **tropicalized compressor** Class T, Air temperature: 5 - 40°C, Water temperature: 5 - 35°C, Pressure: 0,7 - 6 bar, Kg / 24h at ambient temperature 15°C, Water temperature 10°C;
- **Refrigerant Gas R290** : Natural gas R290 with low global warming potential (GWP) which reduces energy consumption;
- water inlet connection: 3/4 "- Exhaust gas connection: 20 mm;
- Ice maker **designed for the Bar, Restaurant, Pub, Hotel** . Suitable for **producing compact "Gourmet" cubes weighing 22 g**, the most desired by professionals and consumers, particularly **suitable for drinks and liqueurs** . Thanks to the resistant formula, the cube will take longer to melt, so that the customer can enjoy his drink for longer;
- **the deposit is well insulated with injected polyurethane foam** , for the best containment of the ice produced, without the risk of melting;
- All parts in contact with water have been designed to minimize their friction and to ensure maximum surface tension, significantly reducing the sound level;
- dimensions (LxWxH) 435x605x695 mm, feet +105/155 mm.

CE mark
Made in EUROPE

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,4
net weight (Kg)	41
gross weight (Kg)	46
breadth (mm)	435
depth (mm)	605
height (mm)	695

AVAILABLE MODELS

ICT-SS35/A



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 32 Kg / 24 hours, 15 Kg STORAGE, AIR Cooled, mod.SS35 / A

Full ice cube machine, yield 32 Kg / 24 hours, 15 Kg storage, stainless steel exterior, air-cooled, Gas R290, V.230 / 1, Kw.0,4, weight Kg.41, dim.mm.435x605x695h

€ 964,19

VAT excluded
Shipping to be calculated

Delivery from 15 to 25 days

ICT-SS35/W



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 34 Kg / 24 hours, 15 Kg STORAGE, WATER COOLED, mod.SS35 / W

Full ice cubes machine, yield 34 Kg / 24 hours, 15 Kg storage, stainless steel exterior, water cooling, Gas R290, V.230 / 1, Kw.0,4, weight Kg.41, dim.mm.435x605x695h

€ 964,19

VAT excluded
Shipping to be calculated

Delivery from 15 to 25 days



M | 22 gr



