



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



PROFESSIONAL DESCRIPTION

ICE MAKER IN FULL CUBES, Yield 62-65 Kg / 24 hours, 30 Kg internal storage, available with Air or Water Cooled Cooling Group:

- **structure** in **AISI 304 stainless steel** ;
- **storage capacity 30 Kg** ;
- **production Kg / 24h** : **62 Kg for the Air model** , **65 Kg for the Water model** ;
- **air** or **water** cooling;
- **spray ice production system** ;
- **Series cube** : **M - 22 gr** ;
- cube dimensions: \varnothing 39 x 35 mm;
- **Electromechanical controls** : The machine is controlled by timer and thermostat. Simple, easy to understand and maintain. High reliability and low cost of spare parts;
- **electronic** control: total control of the machine by means of an electronic card
 - optimized and flexible for each machine.
 - management and reporting of alarms.
 - optimization of the cubes output.
- **Injection system** with special semi-elastic injectors designed and patented by ICE TECH to prevent the formation of limescale;
- external On / Off switch;
- **tropicalized compressor** Class T, Air temperature: 5 - 40°C, Water temperature: 5 - 35°C, Pressure: 0,7 - 6 bar, Kg / 24h at ambient temperature 15°C, Water temperature 10°C;
- **Refrigerant Gas R290** : Natural gas R290 with low global warming potential (GWP) which reduces energy consumption;
- water inlet connection: 3/4 "- Exhaust gas connection: 20 mm;
- Ice maker **designed for the Bar, Restaurant, Pub, Hotel**. Suitable for producing compact **"Gourmet" cubes weighing 22 g**, the most desired by professionals and consumers, particularly **suitable for drinks and liqueurs** . Thanks to the resistant formula, the cube will take longer to melt, so that the customer can enjoy his drink for longer;
- **the deposit is well insulated with injected polyurethane foam** , for the best containment of the ice produced, without the risk of melting;
- All parts in contact with water have been designed to minimize their friction and to ensure maximum surface tension, significantly reducing the sound level;
- dimensions (LxWxH) 515x645x840 mm, feet +105/155 mm.

CE mark
Made in EUROPE

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,46
net weight (Kg)	54
gross weight (Kg)	58
breadth (mm)	515
depth (mm)	645
height (mm)	840

AVAILABLE MODELS

ICT-SS60/A



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 62 Kg / 24 hours, STORAGE 30 Kg, AIR Cooled, mod.SS60 / A

Full ice cube machine, yield 62 Kg / 24 hours, 30 Kg storage, stainless steel exterior, air cooling, Gas R290, V.230 / 1, Kw.0.46, weight Kg.54, dim.mm.515x645x840h

€ 1.231,28

VAT excluded
Shipping to be calculated

Delivery from 25 to 35 days

ICT-SS60/W



ICE MANUFACTURER / MANUFACTURER in FULL CUBES, Yield 65 Kg / 24 hours, STORAGE 30 Kg, WATER-COOLED, mod.SS60 / W

Full ice cubes machine, yield 65 Kg / 24 hours, 30 Kg storage, stainless steel exterior, water cooling, Gas R290, V.230 / 1, Kw.0.46, weight Kg.54, dim.mm.515x645x840h


€ 1.237,37

VAT excluded
Shipping to be calculated

Delivery from 25 to 35 days



M | 22 gr



TECHNOCHEF.IT

