



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>TCF091-000300</b>	1 Door Refrigerator Cabinet, Professional, external structure in stainless steel, 700 lt, Temp.0°/+8°C, ECOLOGICAL in Class C, Gas R290, ventilated, V.230/1, Kw.0.24, Weight 80 Kg, dim.mm.720x800x2020h	<b>€ 1.071,71</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
<b>PROFESSIONAL DESCRIPTION</b>		

**1-door FRIDGE CABINET, capacity 700 litres, temperature 0°/+8°C, ECOLOGICAL in Class C :**

- **monocoque with 60 mm insulation** with HFO polyurethane foam, which has a GWP level 0;
- **the material used is stainless steel with a prevalence of Aisi 304** , excluding non-visible parts;
- Monoblock type units use **R290 gas** (GWP equal to 3) which **leads to significant energy savings** ;
- **automatic defrost** ;
- **partially channeled ventilation** to have correct air circulation inside the cell;
- **the guides have a hand-saving fold** , removable racks;
- **the fan stop microswitch when the door opens is mechanical** and does not need to be moved if the opening direction is changed;
- **the door is reversible** , simply fit the lower hinge on the side opposite to;
- the internal set-up is interlocking and is easily removable to ensure maximum convenience in cleaning operations;
- the delivery mouth, in ventilated cabinets, is protected by a channel, which guarantees that the cold outgoing air is not hindered by products or ice formations;

**TECHNICAL DATA :**




- Capacity (lt): 700
- Energy class: C
- Operating temperature: 0°/+8°
- Electrical power (Kw): 0.24
- V\Hz: 230/50
- Refrigerant gas: R290
- Weight (Kg): 80
- Dimensions (cm): 720x800x2020

**CE MARK  
MADE IN ITALY**


**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,24
<b>net weight (Kg)</b>	80
<b>breadth (mm)</b>	720
<b>depth (mm)</b>	800
<b>height (mm)</b>	2020

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<p><b>TCF091-000308</b></p> 	<p><b>Pair of stainless steel guides</b> Pair of stainless steel guides for GN 2/1 grills (mm 650x530)</p>	<p><b>€ 12,57</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>
<p><b>TCF091-000306</b></p> 	<p><b>GN 2/1 plasticized grill</b> Gastro-Norm 2/1 plasticized grill (650x530 mm)</p>	<p><b>€ 17,11</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>
<p><b>TCF091-000307</b></p> 	<p><b>Stainless steel grill GN 2/1</b> Gastro-Norm 2/1 stainless steel grill (650x530 mm)</p>	<p><b>€ 39,01</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days</p>

TCF091-000309




**Stainless steel wheels**

Stainless steel wheel kit, diameter 125

**€ 108,29**

VAT excluded  
Shipping to be calculated

Delivery from 4 to 9 days



**ENERG** Y U/A IE IA  
енергия · ενεργεια

**70TN**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

**C**

ENERGIA · ЕНЕРГИЯ · ENERGĪJA  
ENERGUA · ENERGY · ENERGIE  
ENERGI

**679**  
kWh/annum

1L  
**475 L**

**0 L**

5  
40°C-40%

2015/1094-IV