



TECNOSERVICE'21 srl

by Tinti Sergio
Via Carlo Pisacane, 134
61032 Fano (PU) Italy
P.IVA IT0200411413

Tel. +39 0721 805911
FAX +39 0721 809794
e-mail: staff@technochef.it
www.technochef.it
www.technochef.eu

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
FC-M-GN650TNG-FC	Professional refrigerated cabinet, 1 glass door, with monobloc, plug-in system, ventilated, 650 lt, Temp.+0°/+8°C, GN 2/1, Ecological in Class C, Gas R290, V.230/ 1, Kw.0,305, Weight 125 Kg, dim.mm.740x830x2010h	€ 938,74 <i>VAT excluded</i> Shipping to be calculated Delivery from 8 to 15 days

PROFESSIONAL DESCRIPTION

REFRIGERATED CABINET 1 GLASS DOOR , Professional Line, It.650, Ventilated, GN 2/1, Temp.+0°/+8°C, with Monobloc, Plug-in system, Class C :

- **made of AISI 201 stainless steel ;**
- **ventilated refrigeration ;**
- **Monobloc refrigeration unit ;**
- **refrigeration unit with plug-in system** characterized by easy and immediate installation or possible removal/replacement;
- silent motor;
- **monobloc protected by stainless steel sheet ;**
- **temperature +0°/+8°C ;**
- **electronic temperature control with digital thermostat ;**
- **energy class C ;**
- **ecological refrigerant gas R290 ;**
- maximum ambient temperature: +32°C;
- maximum ambient humidity: 60%HR;
- electric resistance around the door frame to eliminate condensation;
- **insulation thickness 60 mm ;**
- **automatic defrost ;**
- **electronic control of the defrost temperature ;**
- **automatic evaporation of condensation water ;**
- anti-corrosion treated evaporator;
- door with return spring and reversible;
- door lock with key;
- door seal removable without tools;
- internal LED light;
- bottom with rounded corners;
- external bottom and back panels in galvanized sheet metal;
- Height-adjustable feet.

Supplied :

- 3 GN 2/1 grills
- 3 pairs of guides

CE MARK

TECHNICAL CARD

power supply	Monofase
Volts	V 230/1
frequency (Hz)	50
motor power capacity (Kw)	0,305
net weight (Kg)	125
gross weight (Kg)	139
breadth (mm)	740
depth (mm)	830
height (mm)	2010



M-GN650TNG-FC



2164 kWh/annum


0.73 m²

 5°C
-1°C

TECHNOCHEF.IT