



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FC-G-GN1200BT-FC</b>	2 Door Freezer-Freezer Cabinet, Professional, It.1104, Temp.-18°/-22°C, with fan and internal air conveyor, Gas R290, Gastronorm 2/1, V.230/1, Kw.0,602 , Weight 174 Kg, dim.mm.1340x810x2010h	<b>€ 1.434,27</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days
<b>PROFESSIONAL DESCRIPTION</b>		

**FREEZER-FREEZER CABINET 2 doors, capacity 1104 litres, Temp. -18°/-22°C :**

- **Made of stainless steel ;**
- Bottom with rounded corners;
- External bottom and back panels in galvanized sheet metal;
- Group incorporated in upper compartment;
- Engine compartment with insulated sides;
- Capacity 1200 litres;
- Suitable for containing **Gastronorm 2/1 grills** or containers (650x530 mm);
- **Electronic temperature control with digital thermostat ;**
- Operating temperature -18°/-22°C;
- **Refrigeration with fan and internal air conveyor to uniform the temperature ;**
- Off-cycle defrost type;
- Electrical resistance around the door frame to eliminate condensation
- Elimination of condensation water using a basin;
- **ECOLOGICAL gas R290 ;**
- Maximum ambient temperature: +35°C;
- Maximum ambient humidity: 50% HR;
- **Insulation thickness 60 mm ;**
- Door with return spring and reversible;
- Door locking with key;
- Door seal removable without tools;
- Height-adjustable stainless steel feet;
- Internal dimensions 1220x680x1390h mm;
- External dimensions 1340x810x2010h mm.

**Supplied :**

- n.6 GN 2/1 grills
- n.6 pairs of guides

**Accessories/Options :**


- Pair of grill guides
- Plasticized grill
- Kit of 4 wheels, 2 of which have brakes

**CE MARK**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,602
<b>net weight (Kg)</b>	174
<b>gross weight (Kg)</b>	183
<b>breadth (mm)</b>	1340
<b>depth (mm)</b>	810
<b>height (mm)</b>	2010

**TECHNICAL CARD**

CODE/PICTURES	DESCRIPTION	PRICE/DELIVERY
<b>FC-GRP21-FC</b> 	<b>Forcold - Plastic coated grid</b> Plastic coated grid	<b>€ 20,04</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 4 to 9 days

**FC-CG21**



**Forcold - Pair of Guides**  
Pair of guides for grille

**€ 25,77**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**FC-RU0120**



**Forcold - 4 wheels kit, 2 with brake**  
4 wheels kit with 120 mm diameter, 2 of which with brake.

**€ 78,62**

*VAT excluded*  
**Shipping to be calculated**

**Delivery** from 4 to 9 days

**TECHNO  
CHEF**

**ENERG**  
енергия - ενεργεια

**FORCOLD G-GN1200BT-FC**

A+++  
A++  
A+  
A  
B  
C  
D  
E  
F  
G

4097  
kWh/annum

ENERGIA - ЕНЕРГИЯ - ΕΝΕΡΓΕΙΑ  
ENERGIJA - ENERGY - ENERGIE  
ENERGI

L

845 L

4  
30°C-55%

2015/1094-IV