



**TECNOSERVICE'21 srl**

by Tinti Sergio  
Via Carlo Pisacane, 134  
61032 Fano (PU) Italy  
P.IVA IT0200411413

Tel. +39 0721 805911  
FAX +39 0721 809794  
e-mail: [staff@technochef.it](mailto:staff@technochef.it)  
[www.technochef.it](http://www.technochef.it)  
[www.technochef.eu](http://www.technochef.eu)

Services and Technologies for professional catering since 1973



CODE	DESCRIPTION	PRICE/DELIVERY
<b>FC-M-GN650BT-FC</b>	1 Door Freezer-Freezer Cabinet, with Monobloc, Plug-in System, 650 lt, Temp.-18°/-22°C, ECOLOGICAL in Class E, R290 Gas, Ventilated, GN 2/1, V.230/1 , Kw.0,52, Weight 114 Kg, dim.mm.740x830x2010h	<b>€ 1.002,06</b> <i>VAT excluded</i> <b>Shipping to be calculated</b> <b>Delivery</b> from 8 to 15 days

**PROFESSIONAL DESCRIPTION**

**1 DOOR FREEZER-FREEZER CABINET, WITH MONOBLOC, PLUG-IN SYSTEM, capacity 650 litres, temperature -18°/-22°C, ECOLOGICAL in Class E:**

- **made of AISI 201 stainless steel ;**
- **Monobloc refrigeration unit ;**
- **refrigeration unit with plug-in system** characterized by easy and immediate installation or possible removal/replacement;
- quieter engine;
- monobloc protected by stainless steel sheet;
- cabinet with **insulation thickness 60 mm ;**
- chamber **bottom with rounded corners ;**
- external bottom panels in galvanized sheet metal;
- **interior light;**
- **door with return spring** and reversible;
- door **locking with key ;**
- door seal removable without tools;
- suitable for containing **Gastronorm 2/1 grills or containers (650x530 mm )**;
- **ventilated refrigeration ;**
- **operating temperature -18°/-22°C ;**
- **electronic temperature control** with digital thermostat;
- anti-corrosion treated evaporator;
- ECOLOGICAL Refrigerating Group with **R290 gas ;**
- engine compartment with insulated sides;
- **electric resistance around the door frame to eliminate condensation ;**
- **automatic defrost ;**
- **automatic evaporation of** condensation water;
- maximum ambient temperature: +38°C;
- maximum ambient humidity: 60% HR;
- height-adjustable feet;
- internal dimensions mm. 620x700x1396h.

**Supplied :**

- n.3 GN 2/1 grills;
- n.6 guides.

**CE mark**

**TECHNICAL CARD**

<b>power supply</b>	Monofase
<b>Volts</b>	V 230/1
<b>frequency (Hz)</b>	50
<b>motor power capacity (Kw)</b>	0,52
<b>net weight (Kg)</b>	114
<b>gross weight (Kg)</b>	129
<b>breadth (mm)</b>	740
<b>depth (mm)</b>	830
<b>height (mm)</b>	2010



**ENERG** Y UA  
енергия · ενέργεια  
IE IA

**FORCOLD M-GN650BT-FC**

A+++  
A++  
A+  
A  
B  
C  
D  
**E**  
F  
G

ENERGIA · ЕНЕРГИЯ · ENERGIA  
ENERGIA · ENERGY · ENERGIE  
ENERGI

**3053**  
kWh/annum

- L  
 **440** L  
 **4**  
30°C-55%

2015/1094-IV

TECHNO CHEF.IT